

台灣 (Taiwan, ROC)

謝淑惠

乳癌婦女接受抗荷爾蒙治療之生
活品質與用藥遵從性行為之相關性

Study Documentation

October 2, 2017

Metadata Production

Metadata Producer(s)	學術調查研究資料庫(Survey Research Data Archive) (SRDA) , 中央研究院人社中心調查研究專題中心, DDI文件製作
Production Date	October 2, 2017
Version	2.0版, 參考IHSN Nesstar Template修改
Identification	E10421

Table of Contents

Overview.....	4
Scope & Coverage.....	4
Producers & Sponsors.....	4
Data Collection.....	4
Data Processing & Appraisal.....	5
Accessibility.....	5
Files Description.....	6
data.....	6
Variables Group(s).....	7
ID.....	7
第壹部分-個人基本資料表.....	7
第貳部分-症狀困擾.....	10
問題.....	11
Variables Description.....	14
data.....	15

乳癌婦女接受抗荷爾蒙治療之生活品質與用藥遵從性行為之相關性

Patient Compliance and Quality of Life Related Factors in Breast Cancer Women Undergoing Anti-Hormone Therapy

Overview	
Type	無
Identification	E10421
Version	Production Date: 2017-10-02
Abstract 乳癌對國人女性健康影響甚鉅，罹患乳癌後，手術、治療等複雜過程，可能衍生出諸多症狀困擾，加上患者對於使用抗荷爾蒙藥物之認識不清與其副作用之不舒服而影響生活品質，致使其影響服用抗荷爾蒙藥物之遵從性。本研究計畫將了解乳癌婦女接受抗荷爾蒙治療之生活品質與用藥遵從性行為之相關性。研究方法為以一對一方式，由已受訓之訪員面訪400位(每年各200位)病人。「Greene更年期症狀量表」，將了解乳癌患者因使用抗荷爾蒙藥物而產生更年期的症狀「SF-36生活品質量表」，收集病人的生活品質資料研究將資料將以推論性統計探討接受抗荷爾蒙治療之乳癌病患基本人口學資料、治療情況、症狀困擾及生活品質與用藥遵從性之相關性，再以邏輯斯迴歸預測影響乳癌病患使用抗荷爾蒙藥物遵從性行為之重要因子。抽樣母體為20歲以上70歲以下為中部某醫學中心，診斷為乳癌且正進行抗荷爾蒙治療之病人，有效樣本為297份。	
Kind of Data	抽樣調查資料 (Sample survey data)
Unit of Analysis	個人

Scope & Coverage	
Time Period(s)	2016
Countries	台灣 (Taiwan, ROC)
Geographic Coverage 台灣地區	
Universe 1.年齡在20歲以上，70歲以下，經過診斷確定為罹患乳癌的女性 2.經診斷期別為第零期(原位癌)及第I-III期乳癌婦女，並接受乳房切除手術且未轉移者 3.荷爾蒙接受體為陽性，目前正在接受抗荷爾蒙治療 4.收集對象願意加入本研究	

Producers & Sponsors	
Primary Investigator(s)	謝淑惠
Other Producer(s)	中國醫藥大學醫務管理系(所)
Funding Agency/ies	科技部

Data Collection	
Data Collection Dates	start 2016-04-21 end 2016-06-20
Time Period(s)	start 2015-08-01

	end 2016-07-31
Data Collection Mode	面對面訪問 (Face-to-face Interviews)

Data Processing & Appraisal

Data Editing

中央研究院人文社會科學研究中心調查研究專題中心所進行的資料整理方式，為不合理值檢核。

Accessibility

Contact(s)	學術調查研究資料庫(Survey Research Data Archive) (中央研究院人社中心調查研究專題中心), https://srda.sinica.edu.tw , srda@gate.sinica.edu.tw
Distributor(s)	學術調查研究資料庫(Survey Research Data Archive)
Depositor(s)	中國醫藥大學醫務管理系(所)

Access Conditions

會員版(一般會員、院內會員)--直接下載

Files Description

Dataset contains 1 file(s)

data	
# Cases	297
# Variable(s)	136

Variables Group(s)

Dataset contains 4 group(s)

Group ID							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	id	ID	discrete	character-3	297	0	-

Group 第壹部分 個人基本資料表							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	marriage	(一)4. 您目前的婚姻狀況	discrete	numeric-1.0	296	1	-
2	live	(一)5. 您目前的居住狀況	discrete	numeric-1.0	296	1	-
3	edu	(一)6. 您的最高教育程度是	discrete	numeric-1.0	297	0	-
4	religion	(一)7. 您的宗教信仰	discrete	numeric-1.0	294	3	-
5	v11	(一)7. 您的宗教信仰(其他)	discrete	character-8	2	0	-
6	job	(一)8. 您的職業	discrete	numeric-1.0	297	0	-
7	v13	(一)8. 您的職業(其他)	discrete	character-8	11	0	-
8	income	(一)9. 您目前一個月可自由支配的錢(含工作所得、兼職、退休金、政府補助、家庭其他成員收入等),總額約有多少	discrete	numeric-1.0	294	3	-
9	smoke	(一)10. 您是否有抽菸的習慣	discrete	numeric-1.0	297	0	-
10	y_sm	(一)10.1您是否有抽菸的習慣(續)	discrete	numeric-3.0	297	0	-
11	drink	(一)11. 您是否有喝酒的習慣	discrete	numeric-1.0	296	1	-
12	y_dr	(一)11.1您是否有喝酒的習慣(續)	discrete	numeric-3.0	296	1	-
13	exercise	(一)12. 您是否有運動的習慣(一次以30分鐘計算)	discrete	numeric-1.0	295	2	-
14	diet	(一)13. 您大部分時間的飲食狀況為(可複選)	discrete	character-9	297	0	-
15	habit	(一)14. 您大部分時間的飲食習慣及偏好為(可複選)	discrete	character-9	297	0	-
16	me_age	(一)15. 您的初經年齡為—歲	discrete	character-2	297	0	-
17	mc	(一)16. 您目前的月經狀況為	discrete	numeric-1.0	295	2	-
18	ame_age	(一)16.3您目前的月經狀況為(停經年齡為—歲)	discrete	character-3	297	0	-
19	v24	(一)16.4您目前的月經狀況為(其他)	discrete	character-21	23	0	-
20	pregnant	(一)17. 您是否曾經懷孕	discrete	numeric-1.0	297	0	-

#	Name	Label	Type	Format	Valid	Invalid	Question
21	firch_age	(一)17.1-1您是否曾經懷孕,請問您的第一個小孩現在—歲	discrete	character-3	297	0	-
22	child	(一)17.1-2您是否曾經懷孕,您一共育有—位子女	discrete	character-3	297	0	-
23	hormone	(一)18.您是否會因為更年期而接受過荷爾蒙補充療法	discrete	numeric-1.0	297	0	-
24	hormone_1	(一)18.1請問您接受荷爾蒙補充療法的理由為	discrete	character-3	297	0	-
25	v31	(一)18.1請問您接受荷爾蒙補充療法的理由為(其他)	discrete	character-12	3	0	-
26	hormone_2	(一)18.2請問您使用荷爾蒙補充療法的狀況為	discrete	numeric-3.0	297	0	-
27	v33	(一)18.2-1請問您使用荷爾蒙補充療法的狀況為短期—月	discrete	character-6	13	0	-
28	stage	(一)19您的乳癌期別為	discrete	numeric-1.0	297	0	-
29	surgery	(一)20.您所曾接受的乳房手術種類(可複選)	discrete	character-5	297	0	-
30	tamoxifen	(一)21.1以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):泰莫西芬	discrete	numeric-1.0	214	83	-
31	ta_time	(一)21.1-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)	discrete	character-24	214	0	-
32	ta_timem	(一)21.1-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)	discrete	character-3	157	0	-
33	zoladex	(一)21.2以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):諾雷德	discrete	numeric-1.0	42	255	-
34	zo_time	(一)21.2-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)	discrete	character-19	44	0	-
35	zo_timem	(一)21.2-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)	discrete	character-14	21	0	-
36	arimidex	(一)21.3以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):安美達	discrete	numeric-1.0	16	281	-
37	ari_time	(一)21.3-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)	discrete	character-18	16	0	-
38	ari_timem	(一)21.3-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)	discrete	numeric-2.0	6	291	-
39	femara	(一)21.4以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):復乳納	discrete	numeric-1.0	113	184	-
40	fe_time	(一)21.4-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)	discrete	character-20	113	0	-

#	Name	Label	Type	Format	Valid	Invalid	Question
41	fe_timem	(一)21.4-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)	continuous	numeric-2.0	76	221	-
42	aromasin	(一)21.5以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):諾曼癌素	discrete	numeric-1.0	6	291	-
43	aro_time	(一)21.5-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)	discrete	character-16	6	0	-
44	aro_timem	(一)21.5-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)	discrete	numeric-2.0	3	294	-
45	leuplin	(一)21.6以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):柳菩林	discrete	numeric-1.0	3	294	-
46	leu_time	(一)21.6-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)	discrete	character-15	3	0	-
47	leu_timem	(一)21.6-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)	discrete	numeric-1.0	1	296	-
48	oth_drug	(一)21.7以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):其他	discrete	numeric-1.0	4	293	-
49	v55	(一)21.7-1以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):其他(請說明)	discrete	character-11	4	0	-
50	oth_drug_time	(一)21.7-2使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)	discrete	character-12	4	0	-
51	oth_drug_timem	(一)21.7-2使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)	continuous	numeric-3.0	3	294	-
52	cure_way	(一)22.您接受抗荷爾蒙治療之方式為	discrete	numeric-1.0	297	0	-
53	cure_fre	(一)23.您接受抗荷爾蒙治療之頻率為	discrete	numeric-1.0	296	1	-
54	v60	(一)23.您接受抗荷爾蒙治療之頻率為(其他)	discrete	character-8	17	0	-
55	med	(一)24.您有無遵從醫師囑咐定時服藥或打針	discrete	numeric-1.0	297	0	-
56	n_med	(一)25.您無遵從醫師囑咐定時服藥或打針的原因	discrete	numeric-3.0	297	0	-
57	hospital	(一)26.請問您的就醫習慣為	discrete	numeric-1.0	297	0	-
58	now_cure	(一)27.您目前的治療計畫有無同時接受其他合併治療	discrete	character-1	296	0	-
59	com_cure	(一)27.1同時接受合併之治療有	discrete	character-3	296	0	-
60	hor_cure	(一)28.您在接受抗荷爾蒙治療前,是否曾接受過其他治療方式	discrete	numeric-1.0	296	1	-

#	Name	Label	Type	Format	Valid	Invalid	Question
61	oth_cure	(一)28.1治療方式有	discrete	character-5	297	0	-

Group 第貳部分 症狀困擾

#	Name	Label	Type	Format	Valid	Invalid	Question
1	symptom_1	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：1.心跳加快或強烈(心悸,心臟蹦蹦跳)	discrete	numeric-1.0	297	0	-
2	symptom_2	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：2.感覺緊張,神經質(神經緊繃)	discrete	numeric-1.0	297	0	-
3	symptom_3	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：3.不容易入睡	discrete	numeric-1.0	297	0	-
4	symptom_4	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：4.容易發怒,容易激動	discrete	numeric-1.0	297	0	-
5	symptom_5	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：5.感覺慌亂	discrete	numeric-1.0	297	0	-
6	symptom_6	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：6.注意力不容易集中	discrete	numeric-1.0	297	0	-
7	symptom_7	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：7.感覺疲倦或缺少活力	discrete	numeric-1.0	296	1	-
8	symptom_8	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：8.對大部分事情失去興趣(做事不起勁)	discrete	numeric-1.0	297	0	-
9	symptom_9	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：9.感覺不快樂或憂鬱(心情鬱悶)	discrete	numeric-1.0	297	0	-
10	symptom_10	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：10.無故(沒有原因的哭泣)	discrete	numeric-1.0	297	0	-
11	symptom_11	(二)因接受抗賀爾蒙治療而在最近一周內產生生、	discrete	numeric-1.0	296	1	-

#	Name	Label	Type	Format	Valid	Invalid	Question
		心理的相關症狀，請依您的實際狀況勾選：11.煩躁不安					
12	symptom_12	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：12.感覺頭昏眼花,暈眩,虛弱	discrete	numeric-1.0	297	0	-
13	symptom_13	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：13.頭或身體有被壓迫或緊繃的感覺	discrete	numeric-1.0	297	0	-
14	symptom_14	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：14.身體有些部分感覺麻木或刺痛	discrete	numeric-1.0	296	1	-
15	symptom_15	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：15.頭痛	discrete	numeric-1.0	297	0	-
16	symptom_16	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：16.肌肉關節疼痛	discrete	numeric-1.0	297	0	-
17	symptom_17	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：17.手或腳的感覺(敏銳度降低)	discrete	numeric-1.0	297	0	-
18	symptom_18	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：18.呼吸困難(呼吸不順暢)	discrete	numeric-1.0	297	0	-
19	symptom_19	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：19.熱潮紅(皮膚泛紅發熱)	discrete	numeric-1.0	297	0	-
20	symptom_20	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：20.夜間盜汗(半夜出一身汗)	discrete	numeric-1.0	295	2	-
21	symptom_21	(二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：21.性慾降低	discrete	numeric-1.0	297	0	-

Group 問題

#	Name	Label	Type	Format	Valid	Invalid	Question
---	------	-------	------	--------	-------	---------	----------

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ca1	C1.您在從事一些費力的活動,如攜帶重的購物袋或手提箱,是否有困難	discrete	numeric-1.0	296	1	-
2	ca2	C2.您從事長距離步行,是否有困難	discrete	numeric-1.0	296	1	-
3	ca3	C3.您在戶外從事短距離步行,是否有困難	discrete	numeric-1.0	297	0	-
4	ca4	C4.您在白天是否需待在床上或椅子上	discrete	numeric-1.0	297	0	-
5	ca5	C5.您進食,穿衣,洗澡或上廁所需要別人幫助	discrete	numeric-1.0	296	1	-
6	cb6	C6.您在從事工作或日常活動上是否受到限制	discrete	numeric-1.0	297	0	-
7	cb7	C7.您在從事嗜好或休閒活動上是否受到限制	discrete	numeric-1.0	297	0	-
8	cb8	C8.您呼吸會喘嗎	discrete	numeric-1.0	297	0	-
9	cb9	C9.您曾感到疼痛嗎	discrete	numeric-1.0	297	0	-
10	cb10	C10.您需要休息嗎	discrete	numeric-1.0	296	1	-
11	cb11	C11.您睡眠曾有困難嗎	discrete	numeric-1.0	297	0	-
12	cb12	C12.您曾感到虛弱嗎	discrete	numeric-1.0	296	1	-
13	cb13	C13.您曾缺乏食慾嗎	discrete	numeric-1.0	297	0	-
14	cb14	C14.您曾感到噁心嗎	discrete	numeric-1.0	297	0	-
15	cb15	C15.您曾嘔吐嗎	discrete	numeric-1.0	297	0	-
16	cb16	C16.您曾便秘嗎	discrete	numeric-1.0	297	0	-
17	cb17	C17.您曾腹瀉嗎	discrete	numeric-1.0	297	0	-
18	cb18	C18.您疲倦嗎	discrete	numeric-1.0	297	0	-
19	cb19	C19.疼痛干擾您的日常活動嗎	discrete	numeric-1.0	297	0	-
20	cb20	C20.您曾否難將注意力集中在一些事情上,如看報紙或看電視	discrete	numeric-1.0	297	0	-
21	cb21	C21.您覺得緊張嗎	discrete	numeric-1.0	297	0	-
22	cb22	C22.您感到憂慮嗎	discrete	numeric-1.0	297	0	-
23	cb23	C23.您覺得容易發怒嗎	discrete	numeric-1.0	297	0	-
24	cb24	C24.您覺得情緒低落嗎	discrete	numeric-1.0	297	0	-
25	cb25	C25.您曾感到記憶困難嗎	discrete	numeric-1.0	297	0	-
26	cb26	C26.您的身體狀況或醫療過程是否曾干擾您的家庭生活	discrete	numeric-1.0	296	1	-
27	cb27	C27.您的身體狀況或醫療過程是否曾干擾您的社交活動	discrete	numeric-1.0	297	0	-
28	cb28	C28.您的身體狀況或醫療過程是否曾造成您財務上的困難	discrete	numeric-1.0	296	1	-
29	c_health	C29.您如何評定過去一個星期內(過去七天內)您整體的健康	discrete	numeric-1.0	297	0	-

#	Name	Label	Type	Format	Valid	Invalid	Question
30	c_lq	C30.您如何評定過去一個星期內(過去七天內)您整體的生活品質	discrete	numeric-1.0	297	0	-
31	cc31	C31.您覺得嘴巴乾乾的嗎	discrete	numeric-1.0	297	0	-
32	cc32	C32.您是否覺得飲食的味道和平常不一樣	discrete	numeric-1.0	297	0	-
33	cc33	C33.您是否有眼睛疼痛,刺激感,或流淚	discrete	numeric-1.0	297	0	-
34	cc34	C34.您會有掉頭髮嗎	discrete	numeric-1.0	297	0	-
35	cc34a	C35.您如果有掉頭髮,才須回答此題:您是否對掉頭髮感到沮喪	discrete	numeric-3.0	297	0	-
36	cc36	C36.您覺得生病或身體不適嗎	discrete	numeric-1.0	297	0	-
37	cc37	C37.您會有熱潮紅嗎	discrete	numeric-1.0	297	0	-
38	cc38	C38.您會頭痛嗎	discrete	numeric-1.0	297	0	-
39	cc39	C39.您是否曾覺得因為您的疾病或是治療而使您身體外觀上比較沒有吸引力	discrete	numeric-1.0	297	0	-
40	cc40	C40.您是否曾覺得因為您的疾病或是治療而使您較為缺乏女人味	discrete	numeric-1.0	297	0	-
41	cc41	C41.您是否覺得觀看自己不穿衣服的樣子是很不舒服的	discrete	numeric-1.0	297	0	-
42	cc42	C42.您曾對自己的身體外觀不滿意嗎	discrete	numeric-1.0	297	0	-
43	cc43	C43.您是否擔心未來的健康	discrete	numeric-1.0	297	0	-
44	cc44	C44.您對(性)感到興趣的程度如何	discrete	numeric-1.0	297	0	-
45	cc45	C45.您的性生活活躍的程度如何(有或沒有性生活)	discrete	numeric-1.0	297	0	-
46	cc45a	C46.如果您在過去四星期內有性生活,才須回答此題:您覺得性生活愉快的程度如何	discrete	numeric-3.0	297	0	-
47	cc47	C47.您手臂或肩膀會疼痛嗎	discrete	numeric-1.0	297	0	-
48	cc48	C48.您的手臂或手部腫脹嗎	discrete	numeric-1.0	297	0	-
49	cc49	C49.您將手臂舉起或向旁邊伸展會有困難嗎	discrete	numeric-1.0	297	0	-
50	cc50	C50.您患側乳房的部位會感覺疼痛嗎	discrete	numeric-1.0	297	0	-
51	cc51	C51.您患側乳房的部位會腫脹嗎	discrete	numeric-1.0	296	1	-
52	cc52	C52.您患側乳房的部位會過度敏感嗎	discrete	numeric-1.0	297	0	-
53	cc53	C53.您患側乳房的部位有皮膚方面的問題嗎(例如:癢,乾燥,脫屑)	discrete	numeric-1.0	297	0	-

Variables Description

Dataset contains 136 variable(s)

File : data

id: ID

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		1	0.3%
10		1	0.3%
100		1	0.3%
101		1	0.3%
102		1	0.3%
103		1	0.3%
104		1	0.3%
105		1	0.3%
106		1	0.3%
107		1	0.3%
108		1	0.3%
109		1	0.3%
11		1	0.3%
110		1	0.3%
111		1	0.3%
112		1	0.3%
113		1	0.3%
114		1	0.3%
115		1	0.3%
116		1	0.3%
117		1	0.3%
118		1	0.3%
119		1	0.3%
12		1	0.3%
120		1	0.3%
121		1	0.3%
122		1	0.3%
123		1	0.3%
124		1	0.3%
125		1	0.3%
126		1	0.3%
127		1	0.3%
128		1	0.3%
129		1	0.3%
13		1	0.3%
130		1	0.3%
131		1	0.3%
132		1	0.3%
133		1	0.3%
134		1	0.3%
135		1	0.3%

File : data

id: ID

Value	Label	Cases	Percentage
136		1	0.3%
137		1	0.3%
138		1	0.3%
139		1	0.3%
14		1	0.3%
140		1	0.3%
141		1	0.3%
142		1	0.3%
143		1	0.3%
144		1	0.3%
145		1	0.3%
146		1	0.3%
147		1	0.3%
148		1	0.3%
149		1	0.3%
150		1	0.3%
151		1	0.3%
152		1	0.3%
153		1	0.3%
154		1	0.3%
155		1	0.3%
156		1	0.3%
157		1	0.3%
158		1	0.3%
159		1	0.3%
16		1	0.3%
160		1	0.3%
161		1	0.3%
162		1	0.3%
163		1	0.3%
165		1	0.3%
166		1	0.3%
167		1	0.3%
168		1	0.3%
169		1	0.3%
17		1	0.3%
170		1	0.3%
171		1	0.3%
172		1	0.3%
173		1	0.3%
174		1	0.3%
175		1	0.3%
176		1	0.3%

File : data

id: ID

Value	Label	Cases	Percentage
177		1	0.3%
178		1	0.3%
179		1	0.3%
18		1	0.3%
180		1	0.3%
181		1	0.3%
182		1	0.3%
183		1	0.3%
184		1	0.3%
185		1	0.3%
186		1	0.3%
187		1	0.3%
188		1	0.3%
189		1	0.3%
19		1	0.3%
190		1	0.3%
191		1	0.3%
192		1	0.3%
193		1	0.3%
194		1	0.3%
195		1	0.3%
196		1	0.3%
197		1	0.3%
198		1	0.3%
199		1	0.3%
2		1	0.3%
20		1	0.3%
200		1	0.3%
201		1	0.3%
202		1	0.3%
203		1	0.3%
204		1	0.3%
205		1	0.3%
206		1	0.3%
207		1	0.3%
208		1	0.3%
209		1	0.3%
21		1	0.3%
210		1	0.3%
211		1	0.3%
212		1	0.3%
213		1	0.3%
214		1	0.3%

File : data

id: ID

Value	Label	Cases	Percentage
215		1	0.3%
216		1	0.3%
217		1	0.3%
218		1	0.3%
219		1	0.3%
22		1	0.3%
220		1	0.3%
221		1	0.3%
222		1	0.3%
223		1	0.3%
224		1	0.3%
225		1	0.3%
226		1	0.3%
227		1	0.3%
228		1	0.3%
23		1	0.3%
230		1	0.3%
231		1	0.3%
232		1	0.3%
233		1	0.3%
234		1	0.3%
235		1	0.3%
236		1	0.3%
237		1	0.3%
238		1	0.3%
239		1	0.3%
24		1	0.3%
240		1	0.3%
241		1	0.3%
242		1	0.3%
243		1	0.3%
244		1	0.3%
245		1	0.3%
246		1	0.3%
247		1	0.3%
248		1	0.3%
249		1	0.3%
25		1	0.3%
250		1	0.3%
251		1	0.3%
252		1	0.3%
253		1	0.3%
254		1	0.3%

File : data

id: ID

Value	Label	Cases	Percentage
255		1	0.3%
256		1	0.3%
257		1	0.3%
258		1	0.3%
259		1	0.3%
26		1	0.3%
260		1	0.3%
261		1	0.3%
262		1	0.3%
263		1	0.3%
264		1	0.3%
265		1	0.3%
266		1	0.3%
267		1	0.3%
268		1	0.3%
269		1	0.3%
27		1	0.3%
270		1	0.3%
271		1	0.3%
272		1	0.3%
273		1	0.3%
274		1	0.3%
275		1	0.3%
276		1	0.3%
277		1	0.3%
278		1	0.3%
279		1	0.3%
28		1	0.3%
280		1	0.3%
281		1	0.3%
282		1	0.3%
283		1	0.3%
284		1	0.3%
285		1	0.3%
286		1	0.3%
287		1	0.3%
288		1	0.3%
289		1	0.3%
29		1	0.3%
290		1	0.3%
291		1	0.3%
292		1	0.3%
293		1	0.3%

File : data

id: ID




Value	Label	Cases	Percentage
294		1	0.3%
295		1	0.3%
296		1	0.3%
297		1	0.3%
298		1	0.3%
299		1	0.3%
3		1	0.3%
30		1	0.3%
300		1	0.3%
31		1	0.3%
32		1	0.3%
33		1	0.3%
34		1	0.3%
35		1	0.3%
36		1	0.3%
37		1	0.3%
38		1	0.3%
39		1	0.3%
4		1	0.3%
40		1	0.3%
41		1	0.3%
42		1	0.3%
43		1	0.3%
44		1	0.3%
45		1	0.3%
46		1	0.3%
47		1	0.3%
48		1	0.3%
49		1	0.3%
5		1	0.3%
50		1	0.3%
51		1	0.3%
52		1	0.3%
53		1	0.3%
54		1	0.3%
55		1	0.3%
56		1	0.3%
57		1	0.3%
58		1	0.3%
59		1	0.3%
6		1	0.3%
60		1	0.3%
61		1	0.3%

File : data

id: ID

Value	Label	Cases	Percentage
62		1	0.3%
63		1	0.3%
64		1	0.3%
65		1	0.3%
66		1	0.3%
67		1	0.3%
68		1	0.3%
69		1	0.3%
7		1	0.3%
70		1	0.3%
71		1	0.3%
72		1	0.3%
73		1	0.3%
74		1	0.3%
75		1	0.3%
76		1	0.3%
77		1	0.3%
78		1	0.3%
79		1	0.3%
8		1	0.3%
80		1	0.3%
81		1	0.3%
82		1	0.3%
83		1	0.3%
84		1	0.3%
85		1	0.3%
86		1	0.3%
87		1	0.3%
88		1	0.3%
89		1	0.3%
9		1	0.3%
90		1	0.3%
91		1	0.3%
92		1	0.3%
93		1	0.3%
94		1	0.3%
95		1	0.3%
96		1	0.3%
97		1	0.3%
98		1	0.3%
99		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : data			
# marriage: (一)4. 您目前的婚姻狀況			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=296 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	未婚	42	 14.2%
2	已婚	192	 64.9%
3	分居	16	 5.4%
4	離婚	26	 8.8%
5	喪偶	20	 6.8%
Sysmiss		1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# live: (一)5. 您目前的居住狀況			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=296 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	獨居	24	 8.1%
2	只與配偶同住	32	 10.8%
3	與固定家人同住	231	 78.0%
4	與家人輪住	8	 2.7%
5	其他	1	 0.3%
Sysmiss		1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# edu: (一)6. 您的最高教育程度是			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	不識字	3	 1.0%
2	國小畢業	31	 10.4%
3	國中畢業	31	 10.4%
4	高中職畢業	110	 37.0%
5	大專畢業	101	 34.0%
6	研究所畢業	21	 7.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# religion: (一)7. 您的宗教信仰			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=294 /-] [Invalid=3 /-]		
Value	Label	Cases	Percentage
1	無	60	 20.4%
2	佛教	75	 25.5%
3	道教	31	 10.5%
4	一般傳統民間信仰	85	 28.9%
5	一貫道	7	 2.4%
6	基督教	25	 8.5%

File : data

religion: (一)7. 您的宗教信仰

Value	Label	Cases	Percentage
7	天主教	7	2.4%
8	其他	4	1.4%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v11: (一)7. 您的宗教信仰(其他)

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
3,4,5		1	50.0%
創價學會		1	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

job: (一)8. 您的職業

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	無	29	9.8%
2	軍公教	28	9.4%
3	工商	45	15.2%
4	醫療相關	11	3.7%
5	服務業	48	16.2%
6	農林漁牧	3	1.0%
7	家管	97	32.7%
8	退休	20	6.7%
9	其他	16	5.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v13: (一)8. 您的職業(其他)

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
作業員		1	9.1%
保母		2	18.2%
學校廚工		1	9.1%
自由業		2	18.2%
製造業		1	9.1%
金融保險		2	18.2%
電子業		1	9.1%
音樂教師		1	9.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

income: (一)9. 您目前一個月可自由支配的錢(含工作所得、兼職、退休金、政府補助、家庭其他成員收入等), 總額約有多少

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
-------------	--	--	--

File : data

income: (一)9. 您目前一個月可自由支配的錢(含工作所得、兼職、退休金、政府補助、家庭其他成員收入等), 總額約有多少

Statistics [NW/ W] [Valid=294 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	5000元(含)以下	40	13.6%
2	5001~10000元	32	10.9%
3	10001~15000元	35	11.9%
4	15001~20000元	16	5.4%
5	20001~25000元	31	10.5%
6	25000元(含)以上	140	47.6%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

smoke: (一)10. 您是否有抽菸的習慣

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	從未抽菸	31	10.4%
2	有(接續填10.1題)	266	89.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

y_sm: (一)10.1您是否有抽菸的習慣(續)

Information [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	以前常抽, 現已戒菸	13	4.4%
2	以前不常抽, 且現已戒菸	7	2.4%
3	常抽菸(一天大於3根)	10	3.4%
4	很常抽菸(一天大於1包)	1	0.3%
999	無須填寫	266	89.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

drink: (一)11. 您是否有喝酒的習慣

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=296 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	從未喝酒	86	29.1%
2	有(接續填11.1題)	210	70.9%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

y_dr: (一)11.1您是否有喝酒的習慣(續)

Information [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=296 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	以前常喝, 現已戒酒	7	2.4%

File : data

y_dr: (一)11.1您是否有喝酒的習慣(續)

Value	Label	Cases	Percentage
2	以前不常喝,且已戒酒	10	3.4%
3	偶爾小酌	68	23.0%
4	常喝酒	1	0.3%
5	幾乎天天喝	0	
999	無須填寫	210	70.9%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

exercise: (一)12. 您是否有運動的習慣(一次以30分鐘計算)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=295 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	幾乎沒有	28	9.5%
2	很少,一個月不到3次	35	11.9%
3	偶爾,一週1次	53	18.0%
4	經常,一週3次	94	31.9%
5	很規律,幾乎每天運動	85	28.8%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

diet: (一)13. 您大部分時間的飲食狀況為(可複選)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
.		2	0.7%
1		182	61.3%
1,2,3		1	0.3%
1,2,3,4,5		1	0.3%
1,2,5		1	0.3%
1,3		17	5.7%
1,3,4		1	0.3%
1,3,5		4	1.3%
1,5		41	13.8%
2		1	0.3%
2,3		2	0.7%
2,3,5		1	0.3%
3		34	11.4%
3,4		1	0.3%
3,4,5		1	0.3%
3,5		1	0.3%
5		6	2.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

habit: (一)14. 您大部分時間的飲食習慣及偏好為(可複選)

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

File : data

habit: (一)14. 您大部分時間的飲食習慣及偏好為(可複選)

Statistics [NW/ W] [Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
.		3	1.0%
1		7	2.4%
1,2		8	2.7%
1,2,3		5	1.7%
1,2,3,4		46	15.5%
1,2,3,4,5		7	2.4%
1,2,4		27	9.1%
1,2,4,5		3	1.0%
1,2,6		1	0.3%
1,3		2	0.7%
1,3,4		7	2.4%
1,3,4,5		1	0.3%
1,3,5		2	0.7%
1,4		14	4.7%
1,5		3	1.0%
2		27	9.1%
2,3		8	2.7%
2,3,4		45	15.2%
2,3,4,5		3	1.0%
2,3,5		2	0.7%
2,4		37	12.5%
2,4,5		3	1.0%
2,5		6	2.0%
2345		1	0.3%
3		3	1.0%
3,3,4		1	0.3%
3,4		5	1.7%
3,4,5		1	0.3%
3,5		2	0.7%
4		11	3.7%
4,5,6		1	0.3%
5		4	1.3%
6		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

me_age: (一)15. 您的初經年齡為—歲






Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
.		20	6.7%
10		2	0.7%
11		16	5.4%

File : data


me_age: (一)15. 您的初經年齡為__歲

Value	Label	Cases	Percentage
12		43	 14.5%
13		59	 19.9%
14		73	 24.6%
15		53	 17.8%
16		20	 6.7%
17		5	 1.7%
18		6	 2.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mc: (一)16. 您目前的月經狀況為



Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=295 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	正常, 很規律	19	 6.4%
2	混亂不規律, 時有時無	18	 6.1%
3	停經(續答16.3)	249	 84.4%
4	其他(續答16.4)	9	 3.1%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ame_age: (一)16.3 您目前的月經狀況為(停經年齡為__歲)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
.		27	 9.1%
26		1	 0.3%
29		1	 0.3%
30		2	 0.7%
32		2	 0.7%
34		2	 0.7%
35		3	 1.0%
36		5	 1.7%
37		2	 0.7%
38		8	 2.7%
39		1	 0.3%
40		4	 1.3%
41		3	 1.0%
42		11	 3.7%
43		6	 2.0%
44		16	 5.4%
45		15	 5.1%
46		8	 2.7%
47		10	 3.4%
48		20	 6.7%

File : data

ame_age: (一)16.3您目前的月經狀況為(停經年齡為—歲)

Value	Label	Cases	Percentage
49		19	6.4%
50		28	9.4%
51		13	4.4%
52		10	3.4%
53		16	5.4%
54		6	2.0%
55		10	3.4%
56		3	1.0%
57		2	0.7%
58		2	0.7%
62		1	0.3%
999		40	13.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v24: (一)16.4您目前的月經狀況為(其他)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
36歲時子宮切除		1	4.3%
ATH		10	43.5%
做治療所以停經約2年半		1	4.3%
停經針		1	4.3%
吃藥停經		7	30.4%
打停經針		1	4.3%
服藥後停經		1	4.3%
用藥停經		1	4.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

pregnant: (一)17.您是否曾經懷孕

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	是(接續填答17.1-1及17.1-2)	247	83.2%
2	否	50	16.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firch_age: (一)17.1-1您是否曾經懷孕,請問您的第一個小孩現在—歲

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
.		2	0.7%
10		3	1.0%
11		5	1.7%

File : data

firch_age: (一)17.1-1您是否曾經懷孕,請問您的第一個小孩現在—歲

Value	Label	Cases	Percentage
12		3	1.0%
13		6	2.0%
14		5	1.7%
15		4	1.3%
16		2	0.7%
17		8	2.7%
18		9	3.0%
19		6	2.0%
2		1	0.3%
20		7	2.4%
21		10	3.4%
22		9	3.0%
23		4	1.3%
24		10	3.4%
25		10	3.4%
26		8	2.7%
27		9	3.0%
28		12	4.0%
29		4	1.3%
30		9	3.0%
31		5	1.7%
32		8	2.7%
33		6	2.0%
34		4	1.3%
35		10	3.4%
36		7	2.4%
37		8	2.7%
38		7	2.4%
39		4	1.3%
4		2	0.7%
40		6	2.0%
41		2	0.7%
42		6	2.0%
43		1	0.3%
44		3	1.0%
45		3	1.0%
46		7	2.4%
48		2	0.7%
49		1	0.3%
5		2	0.7%
50		1	0.3%
51		1	0.3%
52		1	0.3%

File : data

firch_age: (一)17.1-1您是否曾經懷孕,請問您的第一個小孩現在__歲

Value	Label	Cases	Percentage
53		1	0.3%
7		3	1.0%
8		2	0.7%
999		48	16.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

child: (一)17.1-2您是否曾經懷孕,您一共育有__位子女

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
.		2	0.7%
1		50	16.8%
2		115	38.7%
3		63	21.2%
4		17	5.7%
5		1	0.3%
7		1	0.3%
999		48	16.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hormone: (一)18. 您是否會因為更年期而接受過荷爾蒙補充療法

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	是	46	15.5%
2	否(非更年期使用荷爾蒙者請跳至19題)	251	84.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hormone_1: (一)18.1請問您接受荷爾蒙補充療法的理由為

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
.		1	0.3%
1		4	1.3%
1,3		1	0.3%
1,4		1	0.3%
2		2	0.7%
2,3		1	0.3%
3		32	10.8%
4		2	0.7%
5		2	0.7%
999		251	84.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : data			
# v31: (一)18.1請問您接受荷爾蒙補充療法的理由為(其他)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
不孕症		1	33.3%
子宮卵巢切除		1	33.3%
子宮頸癌		1	33.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hormone_2: (一)18.2請問您使用荷爾蒙補充療法的狀況為			
Information	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	短期(接續填18.2-1)	12	4.0%
2	斷斷續續	1	0.3%
3	長期(持續1年以上)	33	11.1%
999	無須填寫	251	84.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# v33: (一)18.2-1請問您使用荷爾蒙補充療法的狀況為短期___月			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=13 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
10m		1	7.7%
1m		1	7.7%
2m		1	7.7%
2y		1	7.7%
3m		1	7.7%
5y		1	7.7%
6m		4	30.8%
7y		1	7.7%
半個月		1	7.7%
幾週		1	7.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# stage: (一)19您的乳癌期別為			
Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		16	5.4%
1	第一期	113	38.0%
2	第二期	140	47.1%
3	第三期	28	9.4%
4	第四期	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

File : data			
# surgery: (一)20. 您所曾接受的乳房手術種類(可複選)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		220	74.1%
1,2		2	0.7%
1,2,3		3	1.0%
1,3		1	0.3%
2		62	20.9%
2,3		4	1.3%
3		5	1.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# tamoxifen: (一)21.1以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):泰莫西芬			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=214 /-] [Invalid=83 /-]		
Value	Label	Cases	Percentage
1	是(接續填21.1-1題)	214	100.0%
2	否	0	
Sysmiss		83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ta_time: (一)21.1-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=214 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
.(101.11-?)		1	0.5%
1.5y		1	0.5%
10m		2	0.9%
10m~(104.8-今)		1	0.5%
10y		1	0.5%
11m(100.7-101.6)		1	0.5%
11m(104.1-104.11)		1	0.5%
11m~(104.7.2-今)		1	0.5%
13y		1	0.5%
13y~		1	0.5%
17m(104.1~)		1	0.5%
1m(101.1)		1	0.5%
1m(101.12)		1	0.5%
1m(104.12)		1	0.5%
1m(95.11)		1	0.5%
1y		14	6.5%
1y(102.1-103.6)		1	0.5%
1y(104.12-104.10)		1	0.5%
1y(104.4-今)		1	0.5%

File : data

ta_time: (一)21.1-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)

Value	Label	Cases	Percentage
1y(104.6-今)		2	0.9%
1y10m		2	0.9%
1y10m~(103.7-今)		1	0.5%
1y1m~(104.4-今)		1	0.5%
1y1m~(104.5-今)		2	0.9%
1y2m(101.6.-102.		1	0.5%
1y2m(101.6.15-10		1	0.5%
1y2m~(104.4-今)		1	0.5%
1y3m		1	0.5%
1y4m~(104.1-今)		2	0.9%
1y4m~(104.2-今)		1	0.5%
1y5m~(104.1-今)		1	0.5%
1y6m		1	0.5%
1y6m(98.1-99.7)		1	0.5%
1y7m~(103.10-今)		2	0.9%
1y8m		1	0.5%
1y8m~		1	0.5%
1y9m(103.1.16-10		1	0.5%
1y9m(103.9-今)		1	0.5%
1y9m~(103.8-今)		2	0.9%
1y~		5	2.3%
1y~(104.5-今)		1	0.5%
2.5y		7	3.3%
20m		1	0.5%
20m(103.10~)		1	0.5%
2m(101.4-101.5)		1	0.5%
2y		8	3.7%
2y10m		1	0.5%
2y10m~(102.8-今)		1	0.5%
2y1m(102,12-105		1	0.5%
2y1m~(103.4-今)		1	0.5%
2y1m~(103.5-今)		1	0.5%
2y2m~(103.3-今)		1	0.5%
2y3m(102.7-104.1		1	0.5%
2y4m(103.1-今)		1	0.5%

File : data

ta_time: (一)21.1-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)

Value	Label	Cases	Percentage
2y5m~		1	0.5%
2y5m~(102.10-今)		1	0.5%
2y5m~(102.12-今)		1	0.5%
2y7m(97.12-100.6)		1	0.5%
2y8m~(102.10-今)		1	0.5%
2y9m~(102.9-今)		1	0.5%
2y~		4	1.9%
2y~(103-今)		2	0.9%
3.5y		1	0.5%
3m		1	0.5%
3y		13	6.1%
3y1m~(102.5-今)		1	0.5%
3y2m~(102.4-今)		1	0.5%
3y4m		1	0.5%
3y6m~(101.6-今)		1	0.5%
3y7m		1	0.5%
3y8m~(101.10-今)		1	0.5%
3y~		3	1.4%
3y~(102.6-今)		2	0.9%
3y~(102.6.27-今)		1	0.5%
4.5y		1	0.5%
4y		7	3.3%
4y10m(97.8-102.6)		1	0.5%
4y1m(97.9-102.8)		1	0.5%
4y3m~(101.2-今)		1	0.5%
4y4m~(101.2.13-今)		1	0.5%
4y6m~(100.12.20-今)		1	0.5%
4y9m~(100.8-今)		1	0.5%
4y~		2	0.9%
4y~(101.6-今)		1	0.5%
5.5y		1	0.5%
5y		9	4.2%
5y1m(97.7~102.8)		1	0.5%
5y1m~(100.4-今)		1	0.5%

File : data

ta_time: (一)21.1-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)

Value	Label	Cases	Percentage
5y4m(97.2~102.7		1	0.5%
5y6m		1	0.5%
5y6m~(99.11- 今)		1	0.5%
5y~		1	0.5%
6m		6	2.8%
6m(101.9-102.3)		1	0.5%
6m(98.4-98.9		1	0.5%
6m~(104.7-今)		1	0.5%
6y11m~(98.6- 今)		1	0.5%
6y1m(96.7-1028)		1	0.5%
6y1m~(99.4-今)		1	0.5%
6y3m~(99.3.11- 今)		1	0.5%
6y7m~(99.11- 今)		1	0.5%
6y8m~(98.10- 今)		1	0.5%
6y8m~(98.10.22- 今)		1	0.5%
6y9m(96.9-103.6)		1	0.5%
6y~		3	1.4%
6y~(99.5-今)		1	0.5%
7m		6	2.8%
7m(96.2-96.8)		1	0.5%
7y		3	1.4%
7y10m~(97.8- 今)		1	0.5%
7y1m~(98.4-今)		1	0.5%
7y3m~(98.3.25- 今)		1	0.5%
7y4m~(98.2.2- 今)		1	0.5%
7y~		1	0.5%
8m		2	0.9%
8m(104.9-105.5)		1	0.5%
8y		2	0.9%
8y6m~(96.12- 今)		1	0.5%
8y~		2	0.9%
9m~(104.10-今)		1	0.5%
9m~(104.9-今)		2	0.9%
9y5m~(95.12- 今)		1	0.5%
9y8m~(95.9-今)		1	0.5%
9y~		1	0.5%

File : data

ta_time: (一)21.1-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)

Value	Label	Cases	Percentage
9y~(96-今)		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ta_tiem: (一)21.1-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=157 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
.		2	1.3%
1		3	1.9%
10		3	1.9%
102		1	0.6%
108		1	0.6%
11		1	0.6%
116		1	0.6%
12		18	11.5%
120		1	0.6%
13		2	1.3%
14		2	1.3%
15		1	0.6%
156		1	0.6%
17		5	3.2%
18		1	0.6%
19		1	0.6%
20		3	1.9%
21		1	0.6%
22		3	1.9%
24		10	6.4%
25		2	1.3%
26		1	0.6%
29		3	1.9%
3		1	0.6%
30		8	5.1%
32		1	0.6%
34		1	0.6%
36		14	8.9%
40		1	0.6%
42		1	0.6%
43		1	0.6%
44		1	0.6%
48		9	5.7%
49		1	0.6%
51		1	0.6%
52		1	0.6%
54		2	1.3%

File : data

ta_timem: (一)21.1-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)

Value	Label	Cases	Percentage
58		1	0.6%
6		7	4.5%
60		8	5.1%
61		1	0.6%
64		1	0.6%
66		2	1.3%
7		6	3.8%
72		3	1.9%
73		2	1.3%
79		1	0.6%
8		1	0.6%
80		2	1.3%
83		1	0.6%
84		4	2.5%
86		1	0.6%
88		1	0.6%
9		1	0.6%
94		1	0.6%
96		3	1.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

zoladex: (一)21.2以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):諾雷德

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=255 /-]

Value	Label	Cases	Percentage
1	是(接續填21.2-1題)	42	100.0%
2	否	0	
Sysmiss		255	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

zo_time: (一)21.2-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		1	2.3%
11m~(104.6-今)		1	2.3%
11m~(104.7.30-今)		1	2.3%
16m(104.2~)		1	2.3%
1m		1	2.3%
1y		3	6.8%
1y(104.6-今)		1	2.3%
1y10m~(103.8-今)		1	2.3%
1y11m(101.7-103		1	2.3%

File : data

zo_time: (一)21.2-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)

Value	Label	Cases	Percentage
1y1m~(104.5-今)		1	2.3%
1y2m~(104.4-今)		1	2.3%
1y4m~(104.1-今)		1	2.3%
1y8m~(103.9-今)		1	2.3%
1y9m~(103.8-今)		1	2.3%
1y~(104.5-今)		3	6.8%
2.5y		1	2.3%
2y		2	4.5%
2y10m(98.6-100.4)		1	2.3%
2y2m~(103.3-今)		1	2.3%
2y3m(103.2-今)		1	2.3%
2y3m~(103.1-今)		1	2.3%
2y4m~(103.2.13-今)		1	2.3%
2y5m(99.12-101.5)		1	2.3%
2y~		1	2.3%
2y~(103.10-今)		1	2.3%
3y		3	6.8%
3y(102.5-今)		1	2.3%
3y1m~(102.5-今)		1	2.3%
3y4m		1	2.3%
3y~		1	2.3%
4m(99.3.11-99.7.2)		1	2.3%
6m		2	4.5%
7m		1	2.3%
8m		1	2.3%
9m		1	2.3%
9m~(104.9-今)		1	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

zo_time: (一)21.2-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)

Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=21 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
12		4	19.0%
13		2	9.5%
14		1	4.8%
16		1	4.8%
17		1	4.8%

File : data

zo_tiem: (一)21.2-1使用這些抗荷爾蒙藥物至今大約有多久的時間:__(月)

Value	Label	Cases	Percentage
20		1	4.8%
24		3	14.3%
27		1	4.8%
28		1	4.8%
36		1	4.8%
40		1	4.8%
5y9m~(99.8-今)		1	4.8%
6		1	4.8%
8		1	4.8%
9		1	4.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

arimidex: (一)21.3以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):安美達

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=281 /-]

Value	Label	Cases	Percentage
1	是(接續填21.3-1題)	15	93.8%
2	否	0	
3		1	6.2%
Sysmiss		281	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ari_time: (一)21.3-1使用這些抗荷爾蒙藥物至今大約有多久的時間:__(年)(月)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
11m(104.6-今)		1	6.2%
1y1m(101.7-102.6)		1	6.2%
1y7m(100.7-102.1)		1	6.2%
2m(95.12-96.1)		1	6.2%
3y		1	6.2%
3y3m~(102.3-今)		1	6.2%
4m		1	6.2%
5m		1	6.2%
5y		2	12.5%
5y4m~(100.1-今)		1	6.2%
6m(104.12-今)		1	6.2%
6m(99.10-100.3)		1	6.2%
6m~(104.12-今)		1	6.2%
6y		1	6.2%
6y6m~(98.11-今)		1	6.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : data				
# ari_titem: (一)21.3-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)				
Information		[Type= discrete] [Format=numeric] [Range= 2-72] [Missing=*]		
Statistics [NW/ W]		[Valid=6 /-] [Invalid=291 /-]		
Value	Label	Cases	Percentage	
2		1		16.7%
19		1		16.7%
36		1		16.7%
39		1		16.7%
60		1		16.7%
72		1		16.7%
Sysmiss		291		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# femara: (一)21.4以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):復乳納				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=113 /-] [Invalid=184 /-]		
Value	Label	Cases	Percentage	
1	是(接續填21.4-1題)	113		100.0%
2	否	0		
Sysmiss		184		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
# fe_time: (一)21.4-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)				
Information		[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]		[Valid=113 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage	
1.5y		1		0.9%
10m		2		1.8%
11m~(104.8-今)		1		0.9%
13m		1		0.9%
1m		1		0.9%
1m~(105.5-今)		1		0.9%
1m~(105.6-今)		1		0.9%
1y		8		7.1%
1y10m(102.10-10		1		0.9%
1y10m~(103.7-今)		1		0.9%
1y10m~(98.7-今)		1		0.9%
1y11m~(103.6-今)		1		0.9%
1y1m~(104.4-今)		1		0.9%
1y2m(102.12.6-10		1		0.9%
1y2m~(104.4-今)		1		0.9%
1y3m~		1		0.9%




File : data

fe_time: (一)21.4-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)

Value	Label	Cases	Percentage
1y3m~(104.2-今)		1	0.9%
1y3m~(104.3-今)		1	0.9%
1y4m		1	0.9%
1y5m~(104.1-今)		1	0.9%
1y6m		1	0.9%
1y6m~(103.12.15-今)		1	0.9%
1y6m~(103.12.18-今)		1	0.9%
1y9m~(103.9.26-今)		1	0.9%
1y~		1	0.9%
2.5y		1	0.9%
2m		1	0.9%
2m(104.12.23-105.今)		1	0.9%
2y		8	7.1%
2y(103.9-今)		1	0.9%
2y10m(102.8~)		1	0.9%
2y10m~(102.8.16-今)		1	0.9%
2y11m(101.5-104.今)		1	0.9%
2y8m~		2	1.8%
2y8m~(102.10-今)		2	1.8%
2y8m~(102.9-今)		1	0.9%
2y9m(102.9~)		1	0.9%
2y9m~(102.9-今)		2	1.8%
2y~		8	7.1%
2y~(103.1-今)		1	0.9%
2y~(103.7-今)		1	0.9%
3m(102.9-102.11)		1	0.9%
3y		11	9.7%
3y10m~		1	0.9%
3y3m~(102.2-今)		1	0.9%
3y5m~(102.1-今)		1	0.9%
3y~		1	0.9%
3y~(102.6-今)		1	0.9%
3y~(102.9-今)		1	0.9%
4.5y		1	0.9%
4m		1	0.9%

File : data

fe_time: (一)21.4-1使用這些抗荷爾蒙藥物至今大約有多久的時間:__(年)(月)

Value	Label	Cases	Percentage
4m~(105.2-今)		1	 0.9%
4y		5	 4.4%
4y4m~(101.2-今)		1	 0.9%
5m		1	 0.9%
5y		6	 5.3%
5y1m~(100.5-今)		1	 0.9%
6m		1	 0.9%
6m~(105.1.18-今)		1	 0.9%
6y		2	 1.8%
6y4m~(99.1-今)		1	 0.9%
6~7m		1	 0.9%
7m(104.11-今)		1	 0.9%
7m~(104.11-今)		1	 0.9%
8m		1	 0.9%
9m		1	 0.9%
9m(96.9-97.5)		1	 0.9%
9m~(104.8-今)		1	 0.9%


Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

fe_time: (一)21.4-1使用這些抗荷爾蒙藥物至今大約有多久的時間:__(月)

Information	[Type= continuous] [Format=numeric] [Range= 1-72] [Missing=*]
Statistics [NW/ W]	[Valid=76 /-] [Invalid=221 /-] [Mean=28.671 /-] [StdDev=17.368 /-]

aromasin: (一)21.5以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):諾曼癌素







Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=291 /-]

Value	Label	Cases	Percentage
1	是(接續填21.5-1題)	6	 100.0%
2	否	0	
Sysmiss		291	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

aro_time: (一)21.5-1使用這些抗荷爾蒙藥物至今大約有多久的時間:__(年)(月)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1y		1	 16.7%
2y6m(97.6-99.12)		1	 16.7%
3m~(105.3.7-今)		1	 16.7%
4m		1	 16.7%
9m~(104.9-今)		1	 16.7%
9y4m~(96.2-今)		1	 16.7%

File : data			
# aro_time: (一)21.5-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# aro_tiem: (一)21.5-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)			
Information		[Type= discrete] [Format=numeric] [Range= 4-12] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=294 /-]	
Value	Label	Cases	Percentage
4		1	33.3%
9		1	33.3%
12		1	33.3%
Sysmiss		294	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# leuplin: (一)21.6以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):柳菩林			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=294 /-]	
Value	Label	Cases	Percentage
1	是(接續填21.6-1題)	3	100.0%
2	否	0	
Sysmiss		294	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# leu_time: (一)21.6-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
3y		1	33.3%
6m		1	33.3%
6m(104.9-105.3)		1	33.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# leu_tiem: (一)21.6-1使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)			
Information		[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=296 /-]	
Value	Label	Cases	Percentage
6		1	100.0%
Sysmiss		296	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# oth_drug: (一)21.7以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):其他			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=4 /-] [Invalid=293 /-]	
Value	Label	Cases	Percentage
1	是(接續填21.7-1題及21.7-2題)	4	100.0%
2	否	0	
Sysmiss		293	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

File : data

v55: (一)21.7-1以下為抗荷爾蒙相關藥物,請您勾選目前使用的藥物(可複選):其他(請說明)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Endoxan		1	25.0%
Raloxifene		1	25.0%
Trastazumab		1	25.0%
Vinorebine		1	25.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# oth_drug_time: (一)21.7-2使用這些抗荷爾蒙藥物至今大約有多久的時間:___(年)(月)			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=4 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1.5m		1	25.0%
1y		2	50.0%
1y(104.6-今)		1	25.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# oth_drug_timem: (一)21.7-2使用這些抗荷爾蒙藥物至今大約有多久的時間:___(月)			
Information		[Type= continuous] [Format=numeric] [Range= 1.5-12] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=294 /-] [Mean=8.5 /-] [StdDev=6.062 /-]	
# cure_way: (一)22. 您接受抗荷爾蒙治療之方式為			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	口服藥物	235	79.1%
2	打針	1	0.3%
3	兩者皆有	61	20.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cure_fre: (一)23. 您接受抗荷爾蒙治療之頻率為			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=296 /-] [Invalid=1 /-]	
Value	Label	Cases	Percentage
1	一天一次	157	53.0%
2	一天兩次	119	40.2%
3	三週一次	2	0.7%
4	其他	18	6.1%
Sysmiss		1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# v60: (一)23. 您接受抗荷爾蒙治療之頻率為(其他)			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=17 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
4週		1	5.9%
QOD		12	70.6%
三天一次		2	11.8%
兩天一次		2	11.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# med: (一)24. 您有無遵從醫師囑咐定時服藥或打針			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	有, 完全遵從醫師囑咐, 按時服藥或打針(請跳至26題)	270	90.9%

# med: (一)24. 您有無遵從醫師囑咐定時服藥或打針			
Value	Label	Cases	Percentage
2	無(請跳至25題)	27	9.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# n_med: (一)25. 您無遵從醫師囑咐定時服藥或打針的原因			
Information	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	因藥物副作用讓我覺得不舒服	7	2.4%
2	醫護人員並未說明正確之用藥方法	0	
3	因使用另類醫療, 故停藥	0	
4	常常忘記	20	6.7%
999	無須填寫	270	90.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hospital: (一)26. 請問您的就醫習慣為			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	西醫	195	65.7%
2	中醫	1	0.3%
3	中西醫合併	101	34.0%
4	另類療法	0	
5	其他	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# now_cure: (一)27. 您目前的治療計畫有無同時接受其他合併治療			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=296 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
.		1	0.3%
1		20	6.8%
2		275	92.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# com_cure: (一)27.1同時接受合併之治療有			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=296 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
.		1	0.3%
1		12	4.1%
1,2		2	0.7%
1,3		1	0.3%
2,3		1	0.3%
3		3	1.0%
999		276	93.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# hor_cure: (一)28. 您在接受抗荷爾蒙治療前, 是否曾接受過其他治療方式			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=296 /-] [Invalid=1 /-]	
Value	Label	Cases	Percentage
1	有(接續填寫28.1題)	296	100.0%
2	無	0	
Sysmiss		1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# oth_cure: (一)28.1治療方式有			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
.		1	0.3%
1		58	19.5%
1,2		35	11.8%
1,2,3		69	23.2%
1,2,4		5	1.7%
1,3		103	34.7%
1,3,4		5	1.7%
1,4		1	0.3%
2,3		4	1.3%
5		16	5.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# symptom_1: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀, 請依您的實際狀況勾選: 1. 心跳加快或強烈(心悸, 心臟蹦蹦跳)			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	沒有	166	55.9%
1	偶爾有	93	31.3%
2	經常有	29	9.8%
3	一直都有	9	3.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# symptom_2: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀, 請依您的實際狀況勾選: 2. 感覺緊張, 神經質(神經緊繃)			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	沒有	144	48.5%
1	偶爾有	99	33.3%
2	經常有	48	16.2%
3	一直都有	6	2.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

symptom_3: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**3.不容易入睡**

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	100	33.7%
1	偶爾有	99	33.3%
2	經常有	42	14.1%
3	一直都有	56	18.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_4: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**4.容易發怒,容易激動**

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	154	51.9%
1	偶爾有	97	32.7%
2	經常有	39	13.1%
3	一直都有	7	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_5: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**5.感覺慌亂**

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	171	57.6%
1	偶爾有	92	31.0%
2	經常有	30	10.1%
3	一直都有	4	1.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_6: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**6.注意力不容易集中**

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	131	44.1%
1	偶爾有	108	36.4%
2	經常有	47	15.8%
3	一直都有	11	3.7%




Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_7: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**7.感覺疲倦或缺少活力**

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=296 /-] [Invalid=1 /-]



symptom_7: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**7.感覺疲倦或缺少活力**

Value	Label	Cases	Percentage
0	沒有	92	 31.1%
1	偶爾有	134	 45.3%
2	經常有	40	 13.5%
3	一直都有	30	 10.1%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_8: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**8.對大部分事情失去興趣(做事不起勁)**



Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	172	 57.9%
1	偶爾有	86	 29.0%
2	經常有	29	 9.8%
3	一直都有	10	 3.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_9: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**9.感覺不快樂或憂鬱(心情鬱悶)**


Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	173	 58.2%
1	偶爾有	96	 32.3%
2	經常有	22	 7.4%
3	一直都有	6	 2.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_10: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**10.無故(沒有原因的哭泣)**

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	249	 83.8%
1	偶爾有	40	 13.5%
2	經常有	5	 1.7%
3	一直都有	3	 1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_11: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**11.煩躁不安**

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=296 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	沒有	179	 60.5%

symptom_11: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**11.煩躁不安**

Value	Label	Cases	Percentage
1	偶爾有	93	31.4%
2	經常有	19	6.4%
3	一直都有	5	1.7%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_12: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**12.感覺頭昏眼花,暈眩,虛弱**

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	150	50.5%
1	偶爾有	115	38.7%
2	經常有	27	9.1%
3	一直都有	5	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_13: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**13.頭或身體有被壓迫或緊繃的感覺**

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	162	54.5%
1	偶爾有	90	30.3%
2	經常有	33	11.1%
3	一直都有	12	4.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_14: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**14.身體有些部分感覺麻木或刺痛**

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=296 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	沒有	125	42.2%
1	偶爾有	113	38.2%
2	經常有	38	12.8%
3	一直都有	20	6.8%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_15: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**15.頭痛**

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	161	54.2%

symptom_15: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**15.頭痛**

Value	Label	Cases	Percentage
1	偶爾有	104	35.0%
2	經常有	26	8.8%
3	一直都有	6	2.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_16: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**16.肌肉關節疼痛**

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	103	34.7%
1	偶爾有	107	36.0%
2	經常有	60	20.2%
3	一直都有	27	9.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_17: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**17.手或腳的感覺(敏銳度降低)**

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	176	59.3%
1	偶爾有	83	27.9%
2	經常有	29	9.8%
3	一直都有	9	3.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_18: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**18.呼吸困難(呼吸不順暢)**

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	202	68.0%
1	偶爾有	76	25.6%
2	經常有	19	6.4%
3	一直都有	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_19: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**19.熱潮紅(皮膚泛紅發熱)**

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	137	46.1%
1	偶爾有	82	27.6%
2	經常有	50	16.8%



symptom_19: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**19.熱潮紅(皮膚泛紅發熱)**

Value	Label	Cases	Percentage
3	一直都有	28	 9.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_20: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**20.夜間盜汗(半夜出一身汗)**



Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=295 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	沒有	191	 64.7%
1	偶爾有	59	 20.0%
2	經常有	34	 11.5%
3	一直都有	11	 3.7%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

symptom_21: (二)因接受抗賀爾蒙治療而在最近一周內產生生、心理的相關症狀，請依您的實際狀況勾選：**21.性慾降低**



Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	沒有	154	 51.9%
1	偶爾有	61	 20.5%
2	經常有	43	 14.5%
3	一直都有	39	 13.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca1: C1.您在從事一些費力的活動,如攜帶重的購物袋或手提箱,是否有困難



Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=296 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	完全沒有	159	 53.7%
2	有一點	111	 37.5%
3	相當多	15	 5.1%
4	非常多	11	 3.7%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.








ca2: C2.您從事長距離步行,是否有困難

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=296 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	完全沒有	201	 67.9%
2	有一點	74	 25.0%
3	相當多	15	 5.1%
4	非常多	6	 2.0%
Sysmiss		1	








# ca2: C2.您從事長距離步行, 是否有困難			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ca3: C3.您在戶外從事短距離步行, 是否有困難			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	267	89.9%
2	有一點	25	8.4%
3	相當多	4	1.3%
4	非常多	1	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ca4: C4.您在白天是否需待在床上或椅子上			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	222	74.7%
2	有一點	47	15.8%
3	相當多	18	6.1%
4	非常多	10	3.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ca5: C5.您進食, 穿衣, 洗澡或上廁所需要別人幫助			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=296 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	完全沒有	291	98.3%
2	有一點	4	1.4%
3	相當多	1	0.3%
4	非常多	0	
Sysmiss		1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb6: C6.您在從事工作或日常活動上是否受到限制			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	257	86.5%
2	有一點	34	11.4%
3	相當多	5	1.7%
4	非常多	1	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb7: C7.您在從事嗜好或休閒活動上是否受到限制			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	253	85.2%

# cb7: C7. 您在從事嗜好或休閒活動上是否受到限制			
Value	Label	Cases	Percentage
2	有一點	38	12.8%
3	相當多	6	2.0%
4	非常多	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb8: C8. 您呼吸會喘嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	202	68.0%
2	有一點	83	27.9%
3	相當多	10	3.4%
4	非常多	2	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb9: C9. 您會感到疼痛嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	127	42.8%
2	有一點	134	45.1%
3	相當多	29	9.8%
4	非常多	7	2.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb10: C10. 您需要休息嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=296 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	完全沒有	116	39.2%
2	有一點	144	48.6%
3	相當多	30	10.1%
4	非常多	6	2.0%
Sysmiss		1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb11: C11. 您睡眠會有困難嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	117	39.4%
2	有一點	97	32.7%
3	相當多	40	13.5%
4	非常多	43	14.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# cb12: C12. 您會感到虛弱嗎			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=296 /-] [Invalid=1 /-]	
Value	Label	Cases	Percentage
1	完全沒有	147	 49.7%
2	有一點	122	 41.2%
3	相當多	23	 7.8%
4	非常多	4	 1.4%
Sysmiss		1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cb13: C13. 您會缺乏食慾嗎			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	完全沒有	224	 75.4%
2	有一點	62	 20.9%
3	相當多	10	 3.4%
4	非常多	1	 0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cb14: C14. 您會感到噁心嗎			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	完全沒有	240	 80.8%
2	有一點	51	 17.2%
3	相當多	5	 1.7%
4	非常多	1	 0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cb15: C15. 您會嘔吐嗎			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	完全沒有	268	 90.2%
2	有一點	26	 8.8%
3	相當多	3	 1.0%
4	非常多	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cb16: C16. 您會便秘嗎			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	完全沒有	182	 61.3%
2	有一點	88	 29.6%
3	相當多	14	 4.7%




# cb16: C16.您會便秘嗎			
Value	Label	Cases	Percentage
4	非常多	13	4.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb17: C17.您會腹瀉嗎			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	完全沒有	223	75.1%
2	有一點	64	21.5%
3	相當多	9	3.0%
4	非常多	1	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# cb18: C18. 您疲倦嗎			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	完全沒有	97	32.7%
2	有一點	155	52.2%
3	相當多	35	11.8%
4	非常多	10	3.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb19: C19. 疼痛干擾您的日常活動嗎			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	完全沒有	180	60.6%
2	有一點	98	33.0%
3	相當多	16	5.4%
4	非常多	3	1.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb20: C20. 您會否難將注意力集中在一些事情上,如看報紙或看電視			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	完全沒有	181	60.9%
2	有一點	88	29.6%
3	相當多	21	7.1%
4	非常多	7	2.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb21: C21. 您覺得緊張嗎			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	完全沒有	164	55.2%
2	有一點	108	36.4%
3	相當多	24	8.1%
4	非常多	1	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb22: C22. 您感到憂慮嗎			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=297 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	完全沒有	175	58.9%
2	有一點	102	34.3%
3	相當多	18	6.1%
4	非常多	2	0.7%

# cb22: C22. 您感到憂慮嗎			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb23: C23. 您覺得容易發怒嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	172	 57.9%
2	有一點	94	 31.6%
3	相當多	23	 7.7%
4	非常多	8	 2.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb24: C24. 您覺得情緒低落嗎			
Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		1	 0.3%
1	完全沒有	167	 56.2%
2	有一點	107	 36.0%
3	相當多	18	 6.1%
4	非常多	4	 1.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb25: C25. 您會感到記憶困難嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	105	 35.4%
2	有一點	134	 45.1%
3	相當多	46	 15.5%
4	非常多	12	 4.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb26: C26. 您的身體裝況或醫療過程是否曾干擾您的家庭生活			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=296 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	完全沒有	209	 70.6%
2	有一點	72	 24.3%
3	相當多	8	 2.7%
4	非常多	7	 2.4%
Sysmiss		1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb27: C27. 您的身體裝況或醫療過程是否曾干擾您的社交活動			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		

# cb27: C27. 您的身體狀況或醫療過程是否曾干擾您的社交活動			
Value	Label	Cases	Percentage
1	完全沒有	227	76.4%
2	有一點	56	18.9%
3	相當多	12	4.0%
4	非常多	2	0.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cb28: C28. 您的身體狀況或醫療過程是否曾造成您財務上的困難			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=296 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	完全沒有	231	78.0%
2	有一點	51	17.2%
3	相當多	10	3.4%
4	非常多	4	1.4%
Sysmiss		1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# c_health: C29. 您如何評定過去一個星期內(過去七天內)您整體的健康			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	非常差	3	1.0%
2		3	1.0%
3		23	7.7%
4		83	27.9%
5		77	25.9%
6		70	23.6%
7	極好	38	12.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# c_lq: C30. 您如何評定過去一個星期內(過去七天內)您整體的生活品質			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	非常差	3	1.0%
2		5	1.7%
3		15	5.1%
4		75	25.3%
5		78	26.3%
6		70	23.6%
7	極好	51	17.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc31: C31. 您覺得嘴巴乾乾的嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		


cc31: C31.您覺得嘴巴乾乾的嗎

Value	Label	Cases	Percentage
1	完全沒有	96	 32.3%
2	有一點	129	 43.4%
3	相當多	54	 18.2%
4	非常多	18	 6.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cc32: C32.您是否覺得飲食的味道和平常不一樣



Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	完全沒有	238	 80.1%
2	有一點	48	 16.2%
3	相當多	10	 3.4%
4	非常多	1	 0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cc33: C33.您是否有眼睛疼痛, 刺激感, 或流淚



Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	完全沒有	157	 52.9%
2	有一點	105	 35.4%
3	相當多	28	 9.4%
4	非常多	7	 2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cc34: C34.您曾有掉頭髮嗎



Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	完全沒有	168	 56.6%
2	有一點	95	 32.0%
3	相當多	21	 7.1%
4	非常多	13	 4.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cc34a: C35.您如果有掉頭髮, 才須回答此題: 您是否對掉頭髮感到沮喪

Information	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	完全沒有	62	 20.9%
2	有一點	50	 16.8%
3	相當多	15	 5.1%
4	非常多	7	 2.4%
999	無須填寫	163	 54.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# cc36: C36.您覺得生病或身體不適嗎			
Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		1	0.3%
1	完全沒有	169	56.9%
2	有一點	106	35.7%
3	相當多	20	6.7%
4	非常多	1	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc37: C37.您會有熱潮紅嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	140	47.1%
2	有一點	94	31.6%
3	相當多	40	13.5%
4	非常多	23	7.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc38: C38.您會頭痛嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	170	57.2%
2	有一點	94	31.6%
3	相當多	29	9.8%
4	非常多	4	1.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc39: C39.您是否曾覺得因為您的疾病或是治療而使您身體外觀上比較沒有吸引力			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	207	69.7%
2	有一點	58	19.5%
3	相當多	23	7.7%
4	非常多	9	3.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc40: C40.您是否曾覺得因為您的疾病或是治療而使您較為缺乏女人味			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	211	71.0%
2	有一點	61	20.5%
3	相當多	19	6.4%

# cc40: C40.您是否曾覺得因為您的疾病或是治療而使您較為缺乏女人味			
Value	Label	Cases	Percentage
4	非常多	6	 2.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc41: C41.您是否覺得觀看自己不穿衣服的樣子是很不舒服的			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	189	 63.6%
2	有一點	80	 26.9%
3	相當多	19	 6.4%
4	非常多	9	 3.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc42: C42.您曾對自己的身體外觀不滿意嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	182	 61.3%
2	有一點	86	 29.0%
3	相當多	21	 7.1%
4	非常多	8	 2.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc43: C43.您是否擔心未來的健康			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	72	 24.2%
2	有一點	128	 43.1%
3	相當多	60	 20.2%
4	非常多	37	 12.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc44: C44.您對(性)感到興趣的程度如何			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	165	 55.6%
2	有一點	116	 39.1%
3	相當多	13	 4.4%
4	非常多	3	 1.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc45: C45.您的性生活活躍的程度如何(有或沒有性生活)			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		

# cc45: C45.您的性生活活躍的程度如何(有或沒有性生活)			
Value	Label	Cases	Percentage
1	完全沒有	171	57.6%
2	有一點	114	38.4%
3	相當多	11	3.7%
4	非常多	1	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc45a: C46.如果您在過去四星期內有性生活,才須回答此題:您覺得性生活愉快的程度如何			
Information	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	36	12.1%
2	有一點	62	20.9%
3	相當多	24	8.1%
4	非常多	4	1.3%
999	無須填寫	171	57.6%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc47: C47.您手臂或肩膀會疼痛嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	120	40.4%
2	有一點	107	36.0%
3	相當多	52	17.5%
4	非常多	18	6.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc48: C48.您的手臂或手部腫脹嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	189	63.6%
2	有一點	75	25.3%
3	相當多	23	7.7%
4	非常多	10	3.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc49: C49.您將手臂舉起或向旁邊伸展會有困難嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	208	70.0%
2	有一點	68	22.9%
3	相當多	17	5.7%
4	非常多	4	1.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# cc50: C50.您患側乳房的部位會感覺疼痛嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	132	44.4%
2	有一點	135	45.5%
3	相當多	24	8.1%
4	非常多	6	2.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc51: C51.您患側乳房的部位會腫脹嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=296 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	完全沒有	205	69.3%
2	有一點	78	26.4%
3	相當多	9	3.0%
4	非常多	4	1.4%
Sysmiss		1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc52: C52.您患側乳房的部位會過度敏感嗎			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	191	64.3%
2	有一點	92	31.0%
3	相當多	13	4.4%
4	非常多	1	0.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# cc53: C53.您患側乳房的部位有皮膚方面的問題嗎(例如:癢,乾燥,脫屑)			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=297 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	完全沒有	171	57.6%
2	有一點	94	31.6%
3	相當多	24	8.1%
4	非常多	8	2.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			