

台灣 (Taiwan, ROC)

徐慧娟, 亞洲大學健康產業管理學系

成功老化介入與評估：跨領域、可擴散、與終身學習策略

## **Study Documentation**

January 25, 2021

# Metadata Production

<b>Metadata Producer(s)</b>	學術調查研究資料庫(Survey Research Data Archive) (SRDA) , 中央研究院人社中心調查研究專題中心, DDI文件製作
<b>Version</b>	2.0版, 參考IHSN Nesstar Template修改
<b>Identification</b>	E10520

# Table of Contents

<a href="#">Overview</a> .....	4
<a href="#">Scope &amp; Coverage</a> .....	4
<a href="#">Producers &amp; Sponsors</a> .....	4
<a href="#">Sampling</a> .....	4
<a href="#">Data Collection</a> .....	5
<a href="#">Data Processing &amp; Appraisal</a> .....	5
<a href="#">Accessibility</a> .....	5
<a href="#">Files Description</a> .....	6
<a href="#">data</a> .....	6
<a href="#">Variables Group(s)</a> .....	7
<a href="#">問卷</a> .....	7
<a href="#">Variables Description</a> .....	17
<a href="#">data</a> .....	18

## 成功老化介入與評估：跨領域、可擴散、與終身學習策略

### *Successful Aging Intervention and Evaluation: A Cross-disciplinary, Spreadable, and Lifelong Learning Approach*

Overview	
<b>Identification</b>	E10520
<b>Version</b>	Production Date: 2023-08-01 1
<b>Abstract</b> 本計畫目的為發展跨領域、可擴散、可終身學習之成功老化介入策略，針對中老年人進行成功老化介入，並檢驗成功老化介入的短期與長期成效。所提供外釋的資料為實驗介入前測之基礎調查資料，樣本為台中市立意取樣之數個社區關懷據點參與的長者，採面對面問卷訪談收集。 由於本計畫屬於準實驗設計，參與人數有限，加上樣本來自特定據點，即使提供去連結資料仍有辨識風險，故於中央研究院SRDA所提供的公開資料僅限於前測調查資料並經過變項模糊化處理，城市據點80人，鄉村據點43人，扣除調查未完成1人，合計樣本122人。調查資料變項包含人口與家庭狀況、身體健康（慢性病、身體功能、自評健康、營養狀況等、健康行為與健康識能、心理健康（憂鬱、認知功能等、社會網絡與社會支持、家庭關係、社會參與、經濟準備、網路使用、成功老化概念等。	
<b>Kind of Data</b>	抽查
<b>Unit of Analysis</b>	個人

Scope & Coverage	
<b>Time Period(s)</b>	2017
<b>Countries</b>	台灣 (Taiwan, ROC)
<b>Geographic Coverage</b> 台中市	
<b>Universe</b> 台中市社區關懷據點長者	

Producers & Sponsors	
<b>Primary Investigator(s)</b>	徐慧娟，亞洲大學健康產業管理學系
<b>Other Producer(s)</b>	亞洲大學健康產業管理學系
<b>Funding Agency/ies</b>	科技部
<b>Other Acknowledgment(s)</b>	，共同主持人，國立臺灣師範大學人類發展與家庭學系 ，共同主持人，中山醫學大學醫學社會暨社會工作學系

Sampling
<b>Sampling Procedure</b> 樣本為台中市立意取樣之數個社區關懷據點參與的長者，採面對面問卷訪談收集。城市據點80人，鄉村據點43人，扣除調查未完成1人，合計樣本122人。

<b>Data Collection</b>	
<b>Data Collection Dates</b>	start 2017-03-01 end 2017-05-31
<b>Time Period(s)</b>	start 2016-08-01 end 2018-07-31
<b>Data Collection Mode</b>	面對面訪問

<b>Data Processing &amp; Appraisal</b>	
<b>Data Editing</b> 中央研究院人文社會科學研究中心調查研究專題中心所進行的資料整理方式，為不合理值檢核。	

<b>Accessibility</b>	
<b>Contact(s)</b>	學術調查研究資料庫(Survey Research Data Archive) (中央研究院人社中心調查研究專題中心), <a href="https://srda.sinica.edu.tw">https://srda.sinica.edu.tw</a> , <a href="mailto:srda@gate.sinica.edu.tw">srda@gate.sinica.edu.tw</a>
<b>Distributor(s)</b>	學術調查研究資料庫(Survey Research Data Archive)
<b>Depositor(s)</b>	亞洲大學健康產業管理學系
<b>Access Conditions</b> 標準版(一般會員、院內會員直接下載)	

# Files Description

Dataset contains 1 file(s)

<b>data</b>	
<b># Cases</b>	122
<b># Variable(s)</b>	367

# Variables Group(s)

Dataset contains 1 group(s)

Group 問卷							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	ID	-	continuous	numeric-8.0	122	0	-
2	Group	研究設計組別	discrete	numeric-8.0	122	0	-
3	Individual	個人編號	continuous	numeric-8.0	122	0	-
4	Interview	訪談結果	discrete	numeric-8.0	106	16	-
5	IntMonth	訪談月	discrete	numeric-8.0	122	0	-
6	IntDay	訪談日	continuous	numeric-8.0	122	0	-
7	StartHr	開始時	discrete	numeric-8.0	63	59	-
8	StartMin	開始分	continuous	numeric-8.0	63	59	-
9	IntProcess	訪談配合度	discrete	numeric-8.0	70	52	-
10	IntUnderstand	訪談了解題意	discrete	numeric-8.0	70	52	-
11	IntReliable	訪談可信度	discrete	numeric-8.0	70	52	-
12	Interviewno	訪員編號	continuous	numeric-8.0	99	23	-
13	A1	性別	discrete	numeric-8.0	122	0	-
14	agegrp	年齡組	discrete	numeric-8.2	122	0	-
15	A3	婚姻狀況	discrete	numeric-8.0	122	0	-
16	A4	教育程度	discrete	numeric-8.0	122	0	-
17	A5	族群別	discrete	numeric-8.0	121	1	-
18	A6	宗教信仰	discrete	numeric-8.0	122	0	-
19	A7	全家月收入	discrete	numeric-8.0	119	3	-
20	A8	家庭所得比較	discrete	numeric-8.0	117	5	-
21	A9	與長者同住的人數	discrete	numeric-8.0	122	0	-
22	A10	不與長者同住的人數	discrete	numeric-8.0	119	3	-
23	B1	覺得自己健康怎樣	discrete	numeric-8.0	122	0	-
24	B2	自己健康與同年齡人相比	discrete	numeric-8.0	122	0	-
25	B3	與一年相比之健康狀況	discrete	numeric-8.0	121	1	-
26	B4	穿脫衣服、上下床、室內走動、上廁所、洗澡、吃飯是否有困難	discrete	numeric-8.0	121	1	-
27	B51a	室外走動	discrete	numeric-8.0	121	1	-
28	B52a	獨自進行是否有困難	discrete	numeric-8.0	120	2	-
29	B53a	困難持續多久	discrete	numeric-8.0	118	4	-
30	B54a	不做原因為健康因素嗎	discrete	numeric-8.0	119	3	-
31	B55a	有沒有人幫您	discrete	numeric-8.0	119	3	-
32	B51b	洗衣服	discrete	numeric-8.0	120	2	-
33	B52b	獨自進行是否有困難	discrete	numeric-8.0	118	4	-
34	B53b	困難持續多久	discrete	numeric-8.0	116	6	-
35	B54b	不做原因為健康因素嗎	discrete	numeric-8.0	117	5	-

#	Name	Label	Type	Format	Valid	Invalid	Question
36	B55b	有沒有人幫您	discrete	numeric-8.0	118	4	-
37	B51c	煮飯或準備食物	discrete	numeric-8.0	121	1	-
38	B52c	獨自進行是否有困難	discrete	numeric-8.0	118	4	-
39	B53c	困難持續多久	discrete	numeric-8.0	116	6	-
40	B54c	不做原因為健康因素嗎	discrete	numeric-8.0	117	5	-
41	B55c	有沒有人幫您	discrete	numeric-8.0	117	5	-
42	B51d	獨自座車外出	discrete	numeric-8.0	121	1	-
43	B52d	獨自進行是否有困難	discrete	numeric-8.0	119	3	-
44	B53d	困難持續多久	discrete	numeric-8.0	117	5	-
45	B54d	不做原因為健康因素嗎	discrete	numeric-8.0	118	4	-
46	B55d	有沒有人幫您	discrete	numeric-8.0	118	4	-
47	B51e	購買日常用品	discrete	numeric-8.0	121	1	-
48	B52e	獨自進行是否有困難	discrete	numeric-8.0	120	2	-
49	B53e	困難持續多久	discrete	numeric-8.0	117	5	-
50	B54e	不做原因為健康因素嗎	discrete	numeric-8.0	118	4	-
51	B55e	有沒有人幫您	discrete	numeric-8.0	118	4	-
52	B51f	處理金錢	discrete	numeric-8.0	121	1	-
53	B52f	獨自進行是否有困難	discrete	numeric-8.0	119	3	-
54	B53f	困難持續多久	discrete	numeric-8.0	116	6	-
55	B54f	不做原因為健康因素嗎	discrete	numeric-8.0	117	5	-
56	B55f	有沒有人幫您	discrete	numeric-8.0	117	5	-
57	B51g	在家做粗重工作	discrete	numeric-8.0	121	1	-
58	B52g	獨自進行是否有困難	discrete	numeric-8.0	116	6	-
59	B53g	困難持續多久	discrete	numeric-8.0	113	9	-
60	B54g	不做原因為健康因素嗎	discrete	numeric-8.0	112	10	-
61	B55g	有沒有人幫您	discrete	numeric-8.0	112	10	-
62	B51h	在家做輕鬆家事	discrete	numeric-8.0	121	1	-
63	B52h	獨自進行是否有困難	discrete	numeric-8.0	118	4	-
64	B53h	困難持續多久	discrete	numeric-8.0	113	9	-
65	B54h	不做原因為健康因素嗎	discrete	numeric-8.0	114	8	-
66	B55h	有沒有人幫您	discrete	numeric-8.0	114	8	-
67	B51i	打電話	discrete	numeric-8.0	120	2	-
68	B52i	獨自進行是否有困難	discrete	numeric-8.0	117	5	-
69	B53i	困難持續多久	discrete	numeric-8.0	115	7	-
70	B54i	不做原因為健康因素嗎	discrete	numeric-8.0	116	6	-
71	B55i	有沒有人幫您	discrete	numeric-8.0	116	6	-
72	B6_1	連續站立15分鐘	discrete	numeric-8.0	121	1	-
73	B6_2	連續站立2小時	discrete	numeric-8.0	121	1	-
74	B6_3	屈蹲	discrete	numeric-8.0	121	1	-
75	B6_4	雙手舉高至頭上	discrete	numeric-8.0	121	1	-
76	B6_5	用手指拿或扭轉東西	discrete	numeric-8.0	121	1	-



#	Name	Label	Type	Format	Valid	Invalid	Question
77	B6_6	拿起或攜帶20台斤的東西	discrete	numeric-8.0	121	1	-
78	B6_7	短距離跑步	discrete	numeric-8.0	121	1	-
79	B6_8	走完200到300公尺	discrete	numeric-8.0	121	1	-
80	B6_9	能走到2樓或3樓	discrete	numeric-8.0	121	1	-
81	B7a	健康問題讓完成工作量少	discrete	numeric-8.0	120	2	-
82	B7b	健康問題讓工作活動種類受到限制	discrete	numeric-8.0	120	2	-
83	B8a	情緒問題讓工作量少	discrete	numeric-8.0	120	2	-
84	B8b	做工作或其他活動時不如以往小心	discrete	numeric-8.0	120	2	-
85	B9a	您覺得心情平靜	discrete	numeric-8.0	120	2	-
86	B9b	您精力充沛	discrete	numeric-8.0	120	2	-
87	B9c	您覺得悶悶不樂和憂鬱	discrete	numeric-8.0	120	2	-
88	B10	健康或情緒問題妨礙社交	discrete	numeric-8.0	117	5	-
89	B11	身體疼痛程度	discrete	numeric-8.0	118	4	-
90	B12a1	中風	discrete	numeric-8.0	118	4	-
91	B12a2	中風用藥	discrete	numeric-8.0	118	4	-
92	B12a3	中風病情症狀嚴重度	discrete	numeric-8.0	118	4	-
93	B12b1	高血壓	discrete	numeric-8.0	117	5	-
94	B12b2	用藥	discrete	numeric-8.0	116	6	-
95	B12b3	病情症狀嚴重度	discrete	numeric-8.0	116	6	-
96	B12c1	心臟病	discrete	numeric-8.0	117	5	-
97	B12c2	有用藥嗎	discrete	numeric-8.0	117	5	-
98	B12c3	病情症狀嚴重度	discrete	numeric-8.0	117	5	-
99	B12d1	糖尿病	discrete	numeric-8.0	118	4	-
100	B12d2	有用藥嗎	discrete	numeric-8.0	117	5	-
101	B12d3	病情症狀嚴重度	discrete	numeric-8.0	117	5	-
102	B12e1	風濕、關節炎、痛風	discrete	numeric-8.0	117	5	-
103	B12e2	有用藥嗎	discrete	numeric-8.0	115	7	-
104	B12e3	病情症狀嚴重度	discrete	numeric-8.0	114	8	-
105	B12f1	脊椎骨骨刺	discrete	numeric-8.0	118	4	-
106	B12f2	有用藥嗎	discrete	numeric-8.0	118	4	-
107	B12f3	病情症狀嚴重度	discrete	numeric-8.0	118	4	-
108	B12g1	腎臟尿道疾病	discrete	numeric-8.0	118	4	-
109	B12g2	有用藥嗎	discrete	numeric-8.0	116	6	-
110	B12g3	病情症狀嚴重度	discrete	numeric-8.0	116	6	-
111	B12h1	胃道潰瘍	discrete	numeric-8.0	117	5	-
112	B12h2	有用藥嗎	discrete	numeric-8.0	117	5	-
113	B12h3	病情症狀嚴重度	discrete	numeric-8.0	117	5	-
114	B12i1	肝膽疾病	discrete	numeric-8.0	117	5	-
115	B12i2	有用藥嗎	discrete	numeric-8.0	115	7	-

#	Name	Label	Type	Format	Valid	Invalid	Question
116	B12i3	病情症狀嚴重度	discrete	numeric-8.0	116	6	-
117	B12j1	肺炎、支氣管炎、氣喘、肺結核等呼吸疾病	discrete	numeric-8.0	117	5	-
118	B12j2	有用藥嗎	discrete	numeric-8.0	117	5	-
119	B12j3	病情症狀嚴重度	discrete	numeric-8.0	117	5	-
120	B12k1	癌症	discrete	numeric-8.0	117	5	-
121	B12k2	有用藥嗎	discrete	numeric-8.0	117	5	-
122	B12k3	病情症狀嚴重度	discrete	numeric-8.0	117	5	-
123	B12l1	白內障、青光眼等眼睛疾病	discrete	numeric-8.0	117	5	-
124	B12l2	有用藥嗎	discrete	numeric-8.0	115	7	-
125	B12l3	病情症狀嚴重度	discrete	numeric-8.0	115	7	-
126	B12m1	攝護腺肥大/子宮卵巢等疾病	discrete	numeric-8.0	117	5	-
127	B12m2	有用藥嗎	discrete	numeric-8.0	116	6	-
128	B12m3	病情症狀嚴重度	discrete	numeric-8.0	116	6	-
129	B13	您覺得自己的記憶力有問題嗎	discrete	numeric-8.0	118	4	-
130	B14	有戴眼鏡嗎	discrete	numeric-8.0	121	1	-
131	B14a	戴眼鏡看得清楚嗎	discrete	numeric-8.0	118	4	-
132	B15	有帶助聽器嗎	discrete	numeric-8.0	118	4	-
133	B15a	帶助聽器後聽得清楚嗎	discrete	numeric-8.0	104	18	-
134	B16	有裝假牙嗎	discrete	numeric-8.0	121	1	-
135	B16a	吃東西的能力好不好	discrete	numeric-8.0	120	2	-
136	B17	是否用行動輔具	discrete	numeric-8.0	120	2	-
137	B17a	走路起來是否方便	discrete	numeric-8.0	120	2	-
138	C1	吸菸	discrete	numeric-8.0	118	4	-
139	C1a	以前一天吸多少支	discrete	numeric-8.0	118	4	-
140	C1b	一天吸多少支	discrete	numeric-8.0	118	4	-
141	C2	喝酒	discrete	numeric-8.0	118	4	-
142	C2a	喝酒頻率	discrete	numeric-8.0	118	4	-
143	C2b	平常都喝甚麼酒	discrete	numeric-8.0	118	4	-
144	C2c	平常都喝多少	discrete	numeric-8.0	118	4	-
145	C3	吃檳榔	discrete	numeric-8.0	119	3	-
146	C4	一天平均幾小時是坐著	continuous	numeric-8.1	117	5	-
147	C5	過去一年全身健康檢查	discrete	numeric-8.0	121	1	-
148	C5a	過去三年全身健康檢查	discrete	numeric-8.0	119	3	-
149	C6	過去一年老人流感疫苗	discrete	numeric-8.0	121	1	-
150	C7	有無運動的習慣	discrete	numeric-8.0	121	1	-
151	C7a	每週運動次數	continuous	numeric-8.0	118	4	-
152	C7b	每次大約運動幾分鐘	continuous	numeric-8.0	120	2	-
153	C7c	有沒有流汗或心跳變快	discrete	numeric-8.0	119	3	-

#	Name	Label	Type	Format	Valid	Invalid	Question
154	C7d	運動習慣維持多久了	discrete	numeric-8.0	116	6	-
155	C7e	家人朋友有無一起運動	discrete	numeric-8.0	121	1	-
156	C8	誰為您煮三餐	discrete	numeric-8.0	119	3	-
157	C8a	誰負責買菜	discrete	numeric-8.0	120	2	-
158	C8b	要求買食物	discrete	numeric-8.0	119	3	-
159	C8c	每週早餐外食日數	discrete	numeric-8.0	119	3	-
160	C8d	每週午餐外食日數	discrete	numeric-8.0	119	3	-
161	C8e	每週晚餐外食日數	discrete	numeric-8.0	119	3	-
162	C9	與您同住的家人一起吃晚餐	discrete	numeric-8.0	121	1	-
163	C10	平常會注意有關食品營養的訊息或閱讀有關健康的書報雜誌、電視或廣播節目嗎	discrete	numeric-8.0	120	2	-
164	C11a	平常吃東西會注重營養均衡嗎	discrete	numeric-8.0	119	3	-
165	C11b	平常會吃重口味的飲食嗎	discrete	numeric-8.0	119	3	-
166	C11c	平常有沒有吃蔬菜	discrete	numeric-8.0	119	3	-
167	C11d	平常會喝牛奶、羊奶或吃乳酪	discrete	numeric-8.0	119	3	-
168	C11e	平常家裡會用植物油炒菜嗎	discrete	numeric-8.0	118	4	-
169	C11f	平常會少吃高膽固醇的食物	discrete	numeric-8.0	119	3	-
170	C11g	平常會少吃高脂肪的食物	discrete	numeric-8.0	119	3	-
171	C11h	平常會少吃動物內臟	discrete	numeric-8.0	119	3	-
172	C11i	平常會吃水果	discrete	numeric-9.0	119	3	-
173	C11j	平時會喝含糖飲料	discrete	numeric-8.0	119	3	-
174	C11k	平常買食物時會注意製造日期	discrete	numeric-8.0	119	3	-
175	C11l	家人朋友會幫忙注意您吃東西的營養均衡嗎	discrete	numeric-8.0	119	3	-
176	C11m	吃東西有特別注意控制體重	discrete	numeric-8.0	119	3	-
177	C11n	吃東西有特別注意控制血糖	discrete	numeric-8.0	119	3	-
178	D2a	不想吃東西胃口很差	discrete	numeric-8.0	118	4	-
179	D2b	做每件事都很吃力	discrete	numeric-8.0	118	4	-
180	D2c	睡不好覺或失眠	discrete	numeric-8.0	117	5	-
181	D2d	覺得心情很不好	discrete	numeric-8.0	118	4	-
182	D2e	覺得寂寞	discrete	numeric-8.0	118	4	-
183	D2f	覺得身邊的人對你不好	discrete	numeric-8.0	118	4	-
184	D2g	覺得傷心	discrete	numeric-8.0	118	4	-
185	D2h	提不起勁來做事	discrete	numeric-8.0	118	4	-
186	D2i	覺得很快樂	discrete	numeric-8.0	118	4	-

#	Name	Label	Type	Format	Valid	Invalid	Question
187	D2j	覺得日子過得很不錯	discrete	numeric-8.0	118	4	-
188	D3a	自己的健康壓力	discrete	numeric-8.0	118	4	-
189	D3b	自己的財務經濟壓力	discrete	numeric-8.0	117	5	-
190	D3c	自己的工作壓力	discrete	numeric-8.0	117	5	-
191	D3d	自己跟家人的相處關係壓力	discrete	numeric-8.0	117	5	-
192	D3e	家人/子女的健康壓力	discrete	numeric-8.0	116	6	-
193	D3f	家人/子女的經濟財務問題壓力	discrete	numeric-8.0	117	5	-
194	D3g	家人/子女的工作壓力	discrete	numeric-8.0	117	5	-
195	D3h	家人的婚姻關係壓力	discrete	numeric-8.0	117	5	-
196	D3i	其他壓力	discrete	numeric-8.0	116	6	-
197	D4	減輕壓力方法	discrete	numeric-28.0	106	16	-
198	D5a	接受自己已經變老，有些事情已經做不到	discrete	numeric-8.0	118	4	-
199	D5b	不服老，想辦法用其他方法自己努力做做看	discrete	numeric-8.0	118	4	-
200	D5c	改變原先的目標，只關心自己做得到的事	discrete	numeric-8.0	118	4	-
201	D5d	盡量鍛鍊自己的健康或腦力，維持現在的狀態	discrete	numeric-8.0	118	4	-
202	D5e	願意使用工具，做現在做不到的事	discrete	numeric-8.0	118	4	-
203	D5f	願意接受家人朋友幫忙，做現在做不到的事	discrete	numeric-8.0	118	4	-
204	D6a	你有從別人得到關心和支持	discrete	numeric-8.0	118	4	-
205	D6b	你會採取行動讓煩惱的事變得比較好	discrete	numeric-8.0	117	5	-
206	D6c	你不相信這個煩惱的事已經發生了	discrete	numeric-8.0	117	5	-
207	D6d	你會一直說不高興的事發洩情緒	discrete	numeric-8.0	118	4	-
208	D6e	你會盡量想出辦法看要怎麼做才好	discrete	numeric-8.0	118	4	-
209	D6f	會有人給我安慰並且了解我	discrete	numeric-8.0	118	4	-
210	D6g	你不想改變自己去適應煩惱的事	discrete	numeric-8.0	118	4	-
211	D6h	把煩惱的事情往好處想	discrete	numeric-8.0	115	7	-
212	D6i	你會拿煩惱的事來開玩笑	discrete	numeric-8.0	118	4	-
213	D6j	你會做別的事讓你比較不去想煩惱的事	discrete	numeric-8.0	115	7	-
214	D6k	你可以接受已發生的事實	discrete	numeric-8.0	118	4	-
215	D6l	表達不高興的情緒	discrete	numeric-8.0	118	4	-
216	D6m	嘗試從別人那邊得到建議或幫助看看要怎麼辦	discrete	numeric-8.0	116	6	-

#	Name	Label	Type	Format	Valid	Invalid	Question
217	D6n	喝酒吸菸或吃藥讓自己覺得好一點	discrete	numeric-8.0	118	4	-
218	D6o	會學習在煩惱存在的情況下過日子	discrete	numeric-8.0	116	6	-
219	D6p	壓力煩惱發生時想不出要怎麼做才好	discrete	numeric-8.0	117	5	-
220	D6q	怪自己讓煩惱的事發生	discrete	numeric-8.0	117	5	-
221	D6r	禱告或冥想	discrete	numeric-8.0	118	4	-
222	E1	工作	discrete	numeric-8.0	120	2	-
223	E2a	滿意家人對您的關心	discrete	numeric-8.0	120	2	-
224	E2b	生病時家人照顧可以依靠	discrete	numeric-8.0	120	2	-
225	E2c	家人經濟支援滿意	discrete	numeric-8.0	120	2	-
226	E2d	家人找你商量煩惱	discrete	numeric-8.0	120	2	-
227	E2e	每週家人來往天數	discrete	numeric-8.0	119	3	-
228	E2f	家庭生活滿意	discrete	numeric-8.0	118	4	-
229	E2g	婚姻生活滿意	discrete	numeric-8.0	83	39	-
230	E2h	與配偶有衝突	discrete	numeric-8.0	66	56	-
231	E2i	與子女有衝突	discrete	numeric-8.0	116	6	-
232	E2j	與其他家人有衝突	discrete	numeric-8.0	118	4	-
233	E3	誰最應該負起照顧年老父母的責任	discrete	numeric-8.0	118	4	-
234	E4a	滿意朋友關心	discrete	numeric-8.0	118	4	-
235	E4b	生病時朋友照顧可以依靠	discrete	numeric-8.0	109	13	-
236	E4c	朋友經濟支援滿意嗎	discrete	numeric-8.0	108	14	-
237	E4d	朋友找您商量煩惱	discrete	numeric-8.0	109	13	-
238	E4e	每週朋友來往天數	discrete	numeric-8.0	108	14	-
239	E5a	幫忙家人朋友照顧孫子或小孩	discrete	numeric-8.0	118	4	-
240	E5b	做家事或生活照顧或外出辦事	discrete	numeric-8.0	118	4	-
241	E5c	幫忙家人朋友慢性疾病照顧	discrete	numeric-8.0	118	4	-
242	E5d	園藝或庭院工作	discrete	numeric-8.0	118	4	-
243	E5e	拿錢或日常用品給家人或朋友	discrete	numeric-8.0	118	4	-
244	E5f	參加社區交誼團	discrete	numeric-8.0	117	5	-
245	E5g	參加宗教團體活動	discrete	numeric-8.0	118	4	-
246	E5h	參加農漁會或其他行業工會協會	discrete	numeric-8.0	118	4	-
247	E5i	參加政黨或政治性活動	discrete	numeric-8.0	118	4	-
248	E5j	參加同鄉會宗親會	discrete	numeric-8.0	118	4	-
249	E5k	參加老人團體	discrete	numeric-8.0	118	4	-
250	E5l	參加老人學習活動	discrete	numeric-8.0	118	4	-
251	E5m	參加志工團體	discrete	numeric-8.0	118	4	-

#	Name	Label	Type	Format	Valid	Invalid	Question
252	E6	有無上網	discrete	numeric-8.0	119	3	-
253	E6a	想學上網	discrete	numeric-8.0	82	40	-
254	E6b	多久一次	discrete	numeric-8.0	117	5	-
255	E6c	上網找健康資訊	discrete	numeric-8.0	37	85	-
256	E6d	使用的通訊軟體	discrete	numeric-8.0	37	85	-
257	E6e	使用社交軟體	discrete	numeric-8.0	37	85	-
258	E6f	用電子郵件	discrete	numeric-8.0	37	85	-
259	F1	經濟狀況滿意	discrete	numeric-8.0	119	3	-
260	F1a	家人子女給金錢花用	discrete	numeric-8.0	118	4	-
261	F2	有無財產	discrete	numeric-8.0	119	3	-
262	F2a	經濟準備	discrete	numeric-8.0	118	4	-
263	F2b1	房子土地不動產	discrete	numeric-8.0	116	6	-
264	F2b2	存款	discrete	numeric-8.0	116	6	-
265	F2b3	股票債券基金	discrete	numeric-8.0	116	6	-
266	F2b4	儲蓄型保險	discrete	numeric-8.0	116	6	-
267	F2b5	其他經濟準備	discrete	numeric-8.0	116	6	-
268	F2c	準備夠不夠	discrete	numeric-8.0	66	56	-
269	F3	擔心詐騙	discrete	numeric-8.0	119	3	-
270	F4	領退休金	discrete	numeric-8.0	119	3	-
271	F4a	知道退休金保障	discrete	numeric-8.0	53	69	-
272	F5	領國民年金或老人年金	discrete	numeric-8.0	120	2	-
273	F5a	知道國民老人年金保障	discrete	numeric-8.0	119	3	-
274	F6	領社會福利補助	discrete	numeric-8.0	120	2	-
275	F6a	知道老年社會福利保障	discrete	numeric-8.0	119	3	-
276	F7	知道贈與稅遺產稅規定	discrete	numeric-8.0	119	3	-
277	G1	您覺得自己目前的生活符合你的理想嗎?	discrete	numeric-8.0	117	5	-
278	G2	現在生活滿意度	discrete	numeric-8.0	117	5	-
279	G3_1	身體健康	discrete	numeric-8.0	117	5	-
280	G3_2	記憶力好	discrete	numeric-8.0	117	5	-
281	G3_3	不需要別人照顧	discrete	numeric-8.0	116	6	-
282	G3_4	如果有需要的時候, 自己(或與老伴)住到理想的安養院	discrete	numeric-8.0	116	6	-
283	G3_5	能有人細心照顧起居活動	discrete	numeric-8.0	117	5	-
284	G3_6	經常外出旅遊	discrete	numeric-8.0	117	5	-
285	G3_7	能與家人團圓和樂	discrete	numeric-8.0	117	5	-
286	G3_8	子女晚輩生活穩定不用擔心	discrete	numeric-8.0	116	6	-
287	G3_9	經常有朋友來往	discrete	numeric-8.0	117	5	-
288	G3_10	不用煩惱經濟來源	discrete	numeric-8.0	116	6	-
289	G3_11	能過著與自己興趣相符的生活	discrete	numeric-8.0	115	7	-

#	Name	Label	Type	Format	Valid	Invalid	Question
290	G3_12	繼續研究進修或學習	discrete	numeric-8.0	116	6	-
291	G3_13	經常從事志願服務	discrete	numeric-8.0	115	7	-
292	G3_14	有能力幫助別人	discrete	numeric-8.0	116	6	-
293	G3_15	有良好居住環境	discrete	numeric-8.0	117	5	-
294	G3_16	治安良好安全	discrete	numeric-8.0	116	6	-
295	G3_17	老人福利政策良好	discrete	numeric-8.0	117	5	-
296	G3_18	社會政治安定	discrete	numeric-8.0	117	5	-
297	G3_19	經常參加宗教修行活動	discrete	numeric-8.0	117	5	-
298	G3_20	心靈平靜、凡事想得開	discrete	numeric-8.0	117	5	-
299	G3_77	其他成功老化期待	discrete	numeric-8.0	116	6	-
300	BodyWeight	體重(KG)	continuous	numeric-8.0	107	15	-
301	BodyHeight	身高(CM)	continuous	numeric-8.0	107	15	-
302	KneeHeight	膝高度(cm)	continuous	numeric-8.0	108	14	-
303	C12_1	食慾消化咀嚼吞嚥困難	discrete	numeric-8.0	115	7	-
304	C12_2	近三個月體重變化	discrete	numeric-8.0	114	8	-
305	C12_3	行動力	discrete	numeric-8.0	115	7	-
306	C12_4	過去三個月曾有精神性壓力或急性疾病發作	discrete	numeric-8.0	115	7	-
307	C12_5	神經精神問題	discrete	numeric-8.0	115	7	-
308	C12_6	BMI	discrete	numeric-8.0	108	14	-
309	C12Screen	MMN篩檢	discrete	numeric-8.0	108	14	-
310	C12_7	可以獨立生活	discrete	numeric-8.0	107	15	-
311	C12_8	每天需服用三種以上的處方藥物	discrete	numeric-8.0	107	15	-
312	C12_9	褥瘡或皮膚潰瘍	discrete	numeric-8.0	107	15	-
313	C12_10	一天中完整餐食	discrete	numeric-8.0	107	15	-
314	C12_11	蛋白質攝取量	discrete	numeric-8.1	107	15	-
315	C12_12	二份或以上蔬果	discrete	numeric-8.0	107	15	-
316	C12_13	液體	discrete	numeric-8.1	107	15	-
317	C12_14	進食的形式	discrete	numeric-8.0	107	15	-
318	C12_15	自覺營養問題	discrete	numeric-8.0	107	15	-
319	C12_16	與同齡相比健康狀況	discrete	numeric-8.1	107	15	-
320	C12_17	臂中圍	discrete	numeric-8.1	107	15	-
321	C12_18	小腿圍	discrete	numeric-8.0	107	15	-
322	C12MMN	MMN總分	discrete	numeric-8.1	107	15	-
323	C12risk	營養不良指標評估	discrete	numeric-8.0	107	15	-
324	D1space_num	數字順序	discrete	numeric-8.0	109	13	-
325	D1cube	立方體	discrete	numeric-8.0	109	13	-
326	D1clock_shape	畫時鐘形狀	discrete	numeric-8.0	109	13	-
327	D1clock_num	畫時鐘數字	discrete	numeric-8.0	109	13	-
328	D1_point	畫時鐘指針	discrete	numeric-8.0	109	13	-

#	Name	Label	Type	Format	Valid	Invalid	Question
329	MocaSpace	視覺空間總分	discrete	numeric-8.0	109	13	-
330	D1lion	命名獅子	discrete	numeric-8.0	109	13	-
331	D1rhino	命名犀牛	discrete	numeric-8.0	109	13	-
332	D1cammel	命名駱駝	discrete	numeric-8.0	109	13	-
333	MocaName	命名總分	discrete	numeric-8.0	109	13	-
334	D1memo_r1	記憶複述1	discrete	numeric-8.0	109	13	-
335	D1memo_r2	記憶複述2	discrete	numeric-8.0	109	13	-
336	D1Aorder	順背	discrete	numeric-8.0	108	14	-
337	D1Border	倒背	discrete	numeric-8.0	108	14	-
338	MocaFocus	專注總分	discrete	numeric-8.0	108	14	-
339	D1pat_error	聽1拍桌錯誤數	discrete	numeric-8.0	71	51	-
340	MocaPat	拍1數字	discrete	numeric-8.0	108	14	-
341	D1minus7_1	ans=93	discrete	numeric-8.0	108	14	-
342	D1minus7_2	ans=86	discrete	numeric-8.0	108	14	-
343	D1minus7_3	ans=79	discrete	numeric-8.0	108	14	-
344	D1minus7_4	ans=72	discrete	numeric-8.0	108	14	-
345	D1minus7_5	ans=65	discrete	numeric-8.0	108	14	-
346	MocaMinus7	100減7總分	discrete	numeric-8.0	108	14	-
347	D1Sentence1	語言_1	discrete	numeric-8.0	108	14	-
348	D1Sentence2	語言_2	discrete	numeric-8.0	108	14	-
349	MocaLanguage	語言總分	discrete	numeric-8.0	108	14	-
350	D1fruitno	1分鐘水果數	discrete	numeric-8.0	102	20	-
351	MocaFluency	流暢度(水果總分)	discrete	numeric-8.0	108	14	-
352	D1abstract1	抽象交通	discrete	numeric-8.0	108	14	-
353	D1abstract2	抽象測量	discrete	numeric-8.0	108	14	-
354	MocaAbstract	抽象概念總分	discrete	numeric-8.0	108	14	-
355	MocaRelayMemo	延遲記憶總分	discrete	numeric-8.0	108	14	-
356	D1category	記憶類別提示回答數	discrete	numeric-8.0	105	17	-
357	D1choice	記憶多選提示回答數	discrete	numeric-8.0	105	17	-
358	D1day	定向日期	discrete	numeric-8.0	108	14	-
359	D1month	定向月份	discrete	numeric-8.0	108	14	-
360	D1year	定向年份	discrete	numeric-8.0	108	14	-
361	D1week	定向星期	discrete	numeric-8.0	108	14	-
362	D1place	定向地點	discrete	numeric-8.0	108	14	-
363	D1city	定向城市	discrete	numeric-8.0	108	14	-
364	MocaOrientation	定向總分	discrete	numeric-8.0	108	14	-
365	MocaScore	MoCa總分(未調整教育)	continuous	numeric-8.0	108	14	-
366	Endhr	結束時	discrete	numeric-8.0	63	59	-
367	Endmin	結束分	continuous	numeric-8.0	63	59	-



# Variables Description

Dataset contains 367 variable(s)

File : data			
<b># ID</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 11001-17061] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=122 /-] [Invalid=0 /-] [Mean=13768.295 /-] [StdDev=2239.95 /-]		
<b># Group: 研究設計組別</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=122 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	城市組	79	64.8%
2	鄉村組	43	35.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># Individual: 個人編號</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-67] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=122 /-] [Invalid=0 /-] [Mean=22.344 /-] [StdDev=16.67 /-]		
<b># Interview: 訪談結果</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=106 /-] [Invalid=16 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	全部完成	101	95.3%
2	部分完成	4	3.8%
3	拒訪	1	0.9%
4	其他	0	
Sysmiss		16	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IntMonth: 訪談月</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 3-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=122 /-] [Invalid=0 /-] [Mean=3.303 /-] [StdDev=0.641 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
3		97	79.5%
4		13	10.7%
5		12	9.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IntDay: 訪談日</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-29] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=122 /-] [Invalid=0 /-] [Mean=8.221 /-] [StdDev=8.209 /-]		
<b># StartHr: 開始時</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 9-10] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=63 /-] [Invalid=59 /-] [Mean=9.143 /-] [StdDev=0.353 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
9		54	85.7%
10		9	14.3%
Sysmiss		59	

## File : data

### # StartHr: 開始時

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # StartMin: 開始分

Information [Type= continuous] [Format=numeric] [Range= 3-57] [Missing=\*]

Statistics [NW/ W] [Valid=63 /-] [Invalid=59 /-] [Mean=24.254 /-] [StdDev=11.728 /-]

### # IntProcess: 訪談配合度

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=52 /-]

Value	Label	Cases	Percentage
1	高	58	82.9%
2	普通	11	15.7%
3	低	1	1.4%
Sysmiss		52	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IntUnderstand: 訪談了解題意

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=52 /-]

Value	Label	Cases	Percentage
1	完全或大多了解	58	82.9%
2	有些不了解	11	15.7%
3	大多不了解	1	1.4%
Sysmiss		52	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IntReliable: 訪談可信度

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=52 /-]

Value	Label	Cases	Percentage
1	完全或大多可信	65	92.9%
2	有些不可信	5	7.1%
3	大多不可信	0	
Sysmiss		52	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # Interviewno: 訪員編號

Information [Type= continuous] [Format=numeric] [Range= 1-35] [Missing=\*]

Statistics [NW/ W] [Valid=99 /-] [Invalid=23 /-] [Mean=8.222 /-] [StdDev=8.444 /-]

### # A1: 性別

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

Statistics [NW/ W] [Valid=122 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	女	93	76.2%
1	男	29	23.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : data

### # agegrp: 年齡組

**Information** [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=122 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	<65歲	4	3.3%
2	65-69歲	17	13.9%
3	70-74歲	26	21.3%
4	75-79歲	31	25.4%
5	80-84歲	27	22.1%
6	85歲以上	17	13.9%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # A3: 婚姻狀況

**Information** [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=\*]

**Statistics [NW/ W]** [Valid=122 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	未婚	2	1.6%
2	已婚	52	42.6%
3	再婚	1	0.8%
4	離婚	4	3.3%
5	喪偶	61	50.0%
6	分居	2	1.6%
7	其他	0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # A4: 教育程度

**Information** [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=122 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	不識字	18	14.8%
1	國小或以下	40	32.8%
2	國中/初中	30	24.6%
3	高中職	23	18.9%
4	大專/大學	10	8.2%
5	研究所以上	1	0.8%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # A5: 族群別

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	閩南人	87	71.9%
2	客家人	9	7.4%
3	外省人	24	19.8%
4	原住民	0	
5	其他	1	0.8%

**File : data**

## # A5: 族群別

Value	Label	Cases	Percentage
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # A6: 宗教信仰

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=122 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	無	15	12.3%
1	皈依佛教	21	17.2%
2	民間信仰	44	36.1%
3	一貫道	2	1.6%
4	基督教	35	28.7%
5	天主教	5	4.1%
6	回教	0	
7	其他	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # A7: 全家月收入

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	20000元以下	36	30.3%
2	20000至29999元	13	10.9%
3	30000至49999元	20	16.8%
4	50000至69999元	11	9.2%
5	70000至99999元	4	3.4%
6	100000元以上	0	
7	不知道	27	22.7%
8	不方便講	8	6.7%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # A8: 家庭所得比較

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	高很多	1	0.9%
2	高	3	2.6%
3	差不多	76	65.0%
4	低	22	18.8%
5	低很多	15	12.8%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**File : data**

## # A9: 與長者同住的人數

**Information** [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=\*]**Statistics [NW/ W]** [Valid=122 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		24	19.7%
1		27	22.1%
2		14	11.5%
3		12	9.8%
4		10	8.2%
5		15	12.3%
6		7	5.7%
7		4	3.3%
8		5	4.1%
10		2	1.6%
11		1	0.8%
15		1	0.8%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # A10: 不與長者同住的人數

**Information** [Type= discrete] [Format=numeric] [Range= 0-17] [Missing=\*]**Statistics [NW/ W]** [Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0		17	14.3%
1		7	5.9%
2		17	14.3%
3		12	10.1%
4		10	8.4%
5		11	9.2%
6		6	5.0%
7		10	8.4%
8		7	5.9%
9		6	5.0%
10		4	3.4%
11		2	1.7%
12		4	3.4%
13		3	2.5%
14		1	0.8%
15		1	0.8%
17		1	0.8%
Sysmiss		3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # B1: 覺得自己健康怎樣

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]**Statistics [NW/ W]** [Valid=122 /-] [Invalid=0 /-]

## File : data

### # B1: 覺得自己健康怎樣

Value	Label	Cases	Percentage
1	很不好	4	3.3%
2	不太好	30	24.6%
3	普通	60	49.2%
4	好	23	18.9%
5	非常好	5	4.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # B2: 自己健康與同年齡人相比

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=122 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	差很多	7	5.7%
2	差一點	24	19.7%
3	差不多	51	41.8%
4	好一點	24	19.7%
5	好很多	16	13.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # B3: 與一年相比之健康狀況

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	差很多	14	11.6%
2	差一點	47	38.8%
3	差不多	49	40.5%
4	好一點	8	6.6%
5	好很多	3	2.5%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # B4: 穿脫衣服、上下床、室內走動、上廁所、洗澡、吃飯是否有困難

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	沒有困難	105	86.8%
2	有一點困難	11	9.1%
3	很困難	3	2.5%
4	完全做不到	2	1.7%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # B51a: 室外走動

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]

**File : data**

## # B51a: 室外走動

Value	Label	Cases	Percentage
0	不做	10	8.3%
1	做	111	91.7%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # B52a: 獨自進行是否有困難

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	沒有困難	96	80.0%
1	有一點困難	19	15.8%
2	很困難	2	1.7%
3	完全做不到	3	2.5%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # B53a: 困難持續多久

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1		1	0.8%
6		2	1.7%
8		1	0.8%
9		1	0.8%
12		6	5.1%
13		1	0.8%
24		1	0.8%
36		3	2.5%
39		1	0.8%
48		1	0.8%
88	從未做過	0	
120		3	2.5%
999	跳答	96	81.4%
9999	不知道	1	0.8%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # B54a: 不做原因為健康因素嗎

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	不會做/從未做過/不用做	0	
1	因健康因素不能做	23	19.3%
999	跳答	96	80.7%



## File : data

### # B54a: 不做原因為健康因素嗎

Value	Label	Cases	Percentage
Sysmiss		3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # B55a: 有沒有人幫您

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	沒有	14	11.8%
1	有	9	7.6%
999	跳答	96	80.7%
Sysmiss		3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # B51b: 洗衣服

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	不做	25	20.8%
1	做	95	79.2%
Sysmiss		2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # B52b: 獨自進行是否有困難

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有困難	105	89.0%
1	有一點困難	7	5.9%
2	很困難	1	0.8%
3	完全做不到	5	4.2%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # B53b: 困難持續多久

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 6-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=116 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
6		1	0.9%
12		3	2.6%
13		1	0.9%
24		1	0.9%
39		1	0.9%
88	從未做過	1	0.9%
96		1	0.9%
120		1	0.9%

**File : data**

## # B53b: 困難持續多久

Value	Label	Cases	Percentage
999	跳答	106	91.4%
9999	不知道	0	
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # B54b: 不做原因為健康因素嗎

**Information** [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=\*]

**Statistics [NW/ W]** [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	不會做/從未做過/不用做	2	1.7%
1	因健康因素不能做	9	7.7%
999	跳答	106	90.6%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # B55b: 有沒有人幫您

**Information** [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=\*]

**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	1	0.8%
1	有	11	9.3%
999	跳答	106	89.8%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # B51c: 煮飯或準備食物

**Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

**Statistics [NW/ W]** [Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	不做	31	25.6%
1	做	90	74.4%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # B52c: 獨自進行是否有困難

**Information** [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有困難	105	89.0%
1	有一點困難	4	3.4%
2	很困難	3	2.5%
3	完全做不到	6	5.1%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : data

### # B53c: 困難持續多久

**Information** [Type= discrete] [Format=numeric] [Range= 12-9999] [Missing=\*]

**Statistics [NW/ W]** [Valid=116 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
12		2	1.7%
13		1	0.9%
24		1	0.9%
36		2	1.7%
39		1	0.9%
88	從未做過	1	0.9%
96		1	0.9%
120		2	1.7%
999	跳答	105	90.5%
9999	不知道	0	
Sysmiss		6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # B54c: 不做原因為健康因素嗎

**Information** [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=\*]

**Statistics [NW/ W]** [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	不會做/從未做過/不用做	1	0.9%
1	因健康因素不能做	11	9.4%
999	跳答	105	89.7%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # B55c: 有沒有人幫您

**Information** [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=\*]

**Statistics [NW/ W]** [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	沒有	3	2.6%
1	有	9	7.7%
999	跳答	105	89.7%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # B51d: 獨自座車外出

**Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

**Statistics [NW/ W]** [Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	不做	29	24.0%
1	做	92	76.0%
Sysmiss		1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File : data

### # B52d: 獨自進行是否有困難

**Information** [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	沒有困難	102	85.7%
1	有一點困難	8	6.7%
2	很困難	3	2.5%
3	完全做不到	6	5.0%
Sysmiss		3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # B53d: 困難持續多久

**Information** [Type= discrete] [Format=numeric] [Range= 12-9999] [Missing=\*]

**Statistics [NW/ W]** [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
12		2	1.7%
13		1	0.9%
24		2	1.7%
36		2	1.7%
39		1	0.9%
88	從未做過	2	1.7%
96		1	0.9%
120		3	2.6%
999	跳答	102	87.2%
9999	不知道	1	0.9%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # B54d: 不做原因為健康因素嗎

**Information** [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=\*]

**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	不會做/從未做過/不用做	5	4.2%
1	因健康因素不能做	11	9.3%
999	跳答	102	86.4%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # B55d: 有沒有人幫您

**Information** [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=\*]

**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	5	4.2%
1	有	11	9.3%
999	跳答	102	86.4%
Sysmiss		4	

## File : data

### # B55d: 有沒有人幫您

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # B51e: 購買日常用品

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

Statistics [NW/ W] [Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	不做	13	10.7%
1	做	108	89.3%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # B52e: 獨自進行是否有困難

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=\*]

Statistics [NW/ W] [Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	沒有困難	106	88.3%
1	有一點困難	6	5.0%
2	很困難	3	2.5%
3	完全做不到	5	4.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # B53e: 困難持續多久

Information [Type= discrete] [Format=numeric] [Range= 8-9999] [Missing=\*]

Statistics [NW/ W] [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
8		1	0.9%
12		1	0.9%
13		1	0.9%
24		2	1.7%
36		2	1.7%
39		1	0.9%
88	從未做過	1	0.9%
96		1	0.9%
120		2	1.7%
999	跳答	105	89.7%
9999	不知道	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # B54e: 不做原因為健康因素嗎

Information [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=\*]

Statistics [NW/ W] [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	不會做/從未做過/不用做	1	0.8%
1	因健康因素不能做	12	10.2%

**File : data**

# B54e: 不做原因為健康因素嗎

Value	Label	Cases	Percentage
999	跳答	105	89.0%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# B55e: 有沒有人幫您			
Information		[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]	
Statistics [NW/ W]		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
0	沒有	3	2.5%
1	有	10	8.5%
999	跳答	105	89.0%
Systemss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B51f: 處理金錢			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=121 /-] [Invalid=1 /-]	
Value	Label	Cases	Percentage
0	不做	15	12.4%
1	做	106	87.6%
Systemss		1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B52f: 獨自進行是否有困難			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=119 /-] [Invalid=3 /-]	
Value	Label	Cases	Percentage
0	沒有困難	106	89.1%
1	有一點困難	4	3.4%
2	很困難	5	4.2%
3	完全做不到	4	3.4%
Systemss		3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B53f: 困難持續多久			
Information		[Type= discrete] [Format=numeric] [Range= 12-9999] [Missing=*]	
Statistics [NW/ W]		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
12		1	0.9%
13		1	0.9%
24		3	2.6%
36		1	0.9%
39		1	0.9%
48		1	0.9%
88	從未做過	0	
120		2	1.7%
999	跳答	106	91.4%
9999	不知道	0	
Systemss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# B54f: 不做原因為健康因素嗎			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	不會做/從未做過/不用做	0	
1	因健康因素不能做	11	9.4%
999	跳答	106	90.6%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B55f: 有沒有人幫您			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	沒有	2	1.7%
1	有	9	7.7%
999	跳答	106	90.6%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B51g: 在家做粗重工作			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=121 /-] [Invalid=1 /-]	
Value	Label	Cases	Percentage
0	不做	79	65.3%
1	做	42	34.7%
Sysmiss		1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B52g: 獨自進行是否有困難			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
0	沒有困難	61	52.6%
1	有一點困難	26	22.4%
2	很困難	10	8.6%
3	完全做不到	19	16.4%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B53g: 困難持續多久			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 12-9999] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=113 /-] [Invalid=9 /-]	
Value	Label	Cases	Percentage
12		8	7.1%
13		1	0.9%
18		1	0.9%
24		4	3.5%



# B53g: 困難持續多久

Value	Label	Cases	Percentage
30		1	0.9%
36		10	8.8%
39		1	0.9%
60		3	2.7%
84		1	0.9%
88	從未做過	3	2.7%
96		1	0.9%
99		1	0.9%
120		5	4.4%
276		1	0.9%
999	跳答	62	54.9%
9999	不知道	10	8.8%
Sysmiss		9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B54g: 不做原因為健康因素嗎

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=112 /-] [Invalid=10 /-]

Value	Label	Cases	Percentage
0	不會做/從未做過/不用做	8	7.1%
1	因健康因素不能做	42	37.5%
999	跳答	62	55.4%
Sysmiss		10	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B55g: 有沒有人幫您

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=112 /-] [Invalid=10 /-]

Value	Label	Cases	Percentage
0	沒有	14	12.5%
1	有	36	32.1%
999	跳答	62	55.4%
Sysmiss		10	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B51h: 在家做輕鬆家事

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	不做	19	15.7%
1	做	102	84.3%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B52h: 獨自進行是否有困難

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

# B52h: 獨自進行是否有困難

Value	Label	Cases	Percentage
0	沒有困難	100	84.7%
1	有一點困難	13	11.0%
2	很困難	1	0.8%
3	完全做不到	4	3.4%
Systemmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B53h: 困難持續多久

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 12-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=113 /-] [Invalid=9 /-]

Value	Label	Cases	Percentage
12		1	0.9%
13		1	0.9%
24		2	1.8%
36		2	1.8%
39		1	0.9%
60		1	0.9%
88	從未做過	1	0.9%
96		1	0.9%
99		1	0.9%
120		2	1.8%
999	跳答	99	87.6%
9999	不知道	1	0.9%
Systemmiss		9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B54h: 不做原因為健康因素嗎

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=114 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	不會做/從未做過/不用做	1	0.9%
1	因健康因素不能做	14	12.3%
999	跳答	99	86.8%
Systemmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B55h: 有沒有人幫您

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=114 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	沒有	4	3.5%
1	有	11	9.6%
999	跳答	99	86.8%
Systemmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B51i: 打電話			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=120 /-] [Invalid=2 /-]	
Value	Label	Cases	Percentage
0	不做	14	11.7%
1	做	106	88.3%
Systemmiss		2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B52i: 獨自進行是否有困難			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	沒有困難	108	92.3%
1	有一點困難	5	4.3%
2	很困難	2	1.7%
3	完全做不到	2	1.7%
Systemmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B53i: 困難持續多久			
Information		[Type= discrete] [Format=numeric] [Range= 12-9999] [Missing=*]	
Statistics [NW/ W]		[Valid=115 /-] [Invalid=7 /-]	
Value	Label	Cases	Percentage
12		1	0.9%
13		1	0.9%
24		1	0.9%
36		1	0.9%
84		1	0.9%
88	從未做過	0	
120		1	0.9%
240		1	0.9%
999	跳答	108	93.9%
9999	不知道	0	
Systemmiss		7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B54i: 不做原因為健康因素嗎			
Information		[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]	
Statistics [NW/ W]		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
0	不會做/從未做過/不用做	0	
1	因健康因素不能做	8	6.9%
999	跳答	108	93.1%
Systemmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# B55i: 有沒有人幫您			
Information		[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]	
Statistics [NW/ W]		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
0	沒有	3	2.6%
1	有	5	4.3%
999	跳答	108	93.1%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B6_1: 連續站立15分鐘			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=121 /-] [Invalid=1 /-]	
Value	Label	Cases	Percentage
0	沒有困難	101	83.5%
1	有些困難	12	9.9%
2	很困難	7	5.8%
3	完全做不到	1	0.8%
Sysmiss		1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B6_2: 連續站立2小時			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=121 /-] [Invalid=1 /-]	
Value	Label	Cases	Percentage
0	沒有困難	45	37.2%
1	有些困難	35	28.9%
2	很困難	22	18.2%
3	完全做不到	19	15.7%
Sysmiss		1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B6_3: 屈蹲			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=121 /-] [Invalid=1 /-]	
Value	Label	Cases	Percentage
0	沒有困難	56	46.3%
1	有些困難	31	25.6%
2	很困難	12	9.9%
3	完全做不到	22	18.2%
Sysmiss		1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B6_4: 雙手舉高至頭上			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=121 /-] [Invalid=1 /-]	
Value	Label	Cases	Percentage
0	沒有困難	100	82.6%

**# B6\_4: 雙手舉高至頭上**

Value	Label	Cases	Percentage
1	有些困難	12	9.9%
2	很困難	7	5.8%
3	完全做不到	2	1.7%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# B6\_5: 用手指拿或扭轉東西**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	沒有困難	106	87.6%
1	有些困難	11	9.1%
2	很困難	2	1.7%
3	完全做不到	2	1.7%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# B6\_6: 拿起或攜帶20台斤的東西**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	沒有困難	41	33.9%
1	有些困難	33	27.3%
2	很困難	20	16.5%
3	完全做不到	27	22.3%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# B6\_7: 短距離跑步**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	沒有困難	44	36.4%
1	有些困難	32	26.4%
2	很困難	18	14.9%
3	完全做不到	27	22.3%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# B6\_8: 走完200到300公尺**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	沒有困難	91	75.2%
1	有些困難	14	11.6%
2	很困難	5	4.1%

**# B6\_8: 走完200到300公尺**

Value	Label	Cases	Percentage
3	完全做不到	11	9.1%
System		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# B6\_9: 能走到2樓或3樓**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	沒有困難	78	64.5%
1	有些困難	31	25.6%
2	很困難	2	1.7%
3	完全做不到	10	8.3%
System		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# B7a: 健康問題讓完成工作量少**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	否	67	55.8%
1	是	53	44.2%
System		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# B7b: 健康問題讓工作活動種類受到限制**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	否	66	55.0%
1	是	54	45.0%
System		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# B8a: 情緒問題讓工作量少**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	否	64	53.3%
1	是	56	46.7%
System		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# B8b: 做工作或其他活動時不如以往小心**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

# B8b: 做工作或其他活動時不如以往小心

Value	Label	Cases	Percentage
0	否	73	60.8%
1	是	47	39.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B9a: 您覺得心情平靜

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	一直都是	44	36.7%
2	大部分時間	31	25.8%
3	經常	18	15.0%
4	有時	21	17.5%
5	很少	3	2.5%
6	從不	3	2.5%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B9b: 您精力充沛

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	一直都是	32	26.7%
2	大部分時間	26	21.7%
3	經常	16	13.3%
4	有時	29	24.2%
5	很少	15	12.5%
6	從不	2	1.7%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B9c: 您覺得悶悶不樂和憂鬱

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	一直都是	10	8.3%
2	大部分時間	3	2.5%
3	經常	5	4.2%
4	有時	31	25.8%
5	很少	38	31.7%
6	從不	33	27.5%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B10: 健康或情緒問題妨礙社交

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
--------------------	--

**# B10: 健康或情緒問題妨礙社交**

<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	一直都會	1	0.9%
2	大部分時間會	7	6.0%
3	有時候會	23	19.7%
4	很少會	42	35.9%
5	從來不會	44	37.6%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# B11: 身體疼痛程度**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	非常非常嚴重的疼痛	6	5.1%
2	嚴重的痛	2	1.7%
3	中度疼痛	33	28.0%
4	非常輕微的痛	40	33.9%
5	完全不痛	37	31.4%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# B12a1: 中風**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	無	109	92.4%
1	有	9	7.6%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# B12a2: 中風用藥**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	無	2	1.7%
1	有	7	5.9%
88	跳答	109	92.4%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# B12a3: 中風病情症狀嚴重度**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	不嚴重	6	5.1%
1	嚴重	3	2.5%



<b># B12a3: 中風病情症狀嚴重度</b>			
Value	Label	Cases	Percentage
88	跳答	109	92.4%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># B12b1: 高血壓</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]		
Value	Label	Cases	Percentage
0	無	49	41.9%
1	有	68	58.1%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># B12b2: 用藥</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=116 /-] [Invalid=6 /-]		
Value	Label	Cases	Percentage
0	無	4	3.4%
1	有	63	54.3%
88	跳答	49	42.2%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># B12b3: 病情症狀嚴重度</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=116 /-] [Invalid=6 /-]		
Value	Label	Cases	Percentage
0	不嚴重	62	53.4%
1	嚴重	5	4.3%
88	跳答	49	42.2%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># B12c1: 心臟病</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]		
Value	Label	Cases	Percentage
0	無	91	77.8%
1	有	26	22.2%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># B12c2: 有用藥嗎</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]		

**# B12c2: 有用藥嗎**

Value	Label	Cases	Percentage
0	無	3	2.6%
1	有	23	19.7%
88	跳答	91	77.8%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# B12c3: 病情症狀嚴重度**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	不嚴重	20	17.1%
1	嚴重	6	5.1%
88	跳答	91	77.8%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# B12d1: 糖尿病**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	無	93	78.8%
1	有	25	21.2%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# B12d2: 有用藥嗎**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	無	1	0.9%
1	有	23	19.7%
88	跳答	93	79.5%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# B12d3: 病情症狀嚴重度			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	不嚴重	21	17.9%
1	嚴重	3	2.6%
88	跳答	93	79.5%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12e1: 風濕、關節炎、痛風			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	無	67	57.3%
1	有	50	42.7%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12e2: 有用藥嗎			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=115 /-] [Invalid=7 /-]	
Value	Label	Cases	Percentage
0	無	22	19.1%
1	有	26	22.6%
88	跳答	67	58.3%
Sysmiss		7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12e3: 病情症狀嚴重度			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=114 /-] [Invalid=8 /-]	
Value	Label	Cases	Percentage
0	不嚴重	30	26.3%
1	嚴重	17	14.9%
88	跳答	67	58.8%
Sysmiss		8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12f1: 脊椎骨骨刺			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
0	無	97	82.2%
1	有	21	17.8%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# B12f2: 有用藥嗎			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
0	無	13	11.0%
1	有	8	6.8%
88	跳答	97	82.2%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12f3: 病情症狀嚴重度			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
0	不嚴重	16	13.6%
1	嚴重	5	4.2%
88	跳答	97	82.2%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12g1: 腎臟尿道疾病			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
0	無	101	85.6%
1	有	17	14.4%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12g2: 有用藥嗎			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
0	無	4	3.4%
1	有	11	9.5%
88	跳答	101	87.1%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12g3: 病情症狀嚴重度			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
0	不嚴重	9	7.8%
1	嚴重	6	5.2%
88	跳答	101	87.1%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# B12h1: 胃道潰瘍			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	無	102	87.2%
1	有	15	12.8%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12h2: 有用藥嗎			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	無	2	1.7%
1	有	13	11.1%
88	跳答	102	87.2%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12h3: 病情症狀嚴重度			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	不嚴重	12	10.3%
1	嚴重	3	2.6%
88	跳答	102	87.2%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12i1: 肝膽疾病			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	無	107	91.5%
1	有	10	8.5%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12i2: 有用藥嗎			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=115 /-] [Invalid=7 /-]	
Value	Label	Cases	Percentage
0	無	5	4.3%
1	有	3	2.6%
88	跳答	107	93.0%
Sysmiss		7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# B12i3: 病情症狀嚴重度			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
0	不嚴重	8	6.9%
1	嚴重	1	0.9%
88	跳答	107	92.2%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12j1: 肺炎、支氣管炎、氣喘、肺結核等呼吸疾病			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	無	104	88.9%
1	有	13	11.1%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12j2: 有用藥嗎			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	無	3	2.6%
1	有	10	8.5%
88	跳答	104	88.9%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12j3: 病情症狀嚴重度			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	不嚴重	10	8.5%
1	嚴重	3	2.6%
88	跳答	104	88.9%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12k1: 癌症			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	無	116	99.1%
1	有	1	0.9%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# B12k2: 有用藥嗎			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	無	1	0.9%
1	有	0	
88	跳答	116	99.1%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12k3: 病情症狀嚴重度			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	不嚴重	0	
1	嚴重	1	0.9%
88	跳答	116	99.1%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12l1: 白內障、青光眼等眼睛疾病			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	無	63	53.8%
1	有	54	46.2%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12l2: 有用藥嗎			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=115 /-] [Invalid=7 /-]	
Value	Label	Cases	Percentage
0	無	18	15.7%
1	有	34	29.6%
88	跳答	63	54.8%
Sysmiss		7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12l3: 病情症狀嚴重度			
Information		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
Statistics [NW/ W]		[Valid=115 /-] [Invalid=7 /-]	
Value	Label	Cases	Percentage
0	不嚴重	37	32.2%
1	嚴重	15	13.0%
88	跳答	63	54.8%
Sysmiss		7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# B12m1: 攝護腺肥大/子宮卵巢等疾病			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
0	無	100	85.5%
1	有	17	14.5%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12m2: 有用藥嗎			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
0	無	5	4.3%
1	有	11	9.5%
88	跳答	100	86.2%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B12m3: 病情症狀嚴重度			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
0	不嚴重	11	9.5%
1	嚴重	5	4.3%
88	跳答	100	86.2%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B13: 您覺得自己的記憶力有問題嗎			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
1	記憶很好沒問題	24	20.3%
2	偶爾有些健忘	68	57.6%
3	記憶力常常不好	18	15.3%
4	記憶力大多時間很差	8	6.8%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# B14: 有戴眼鏡嗎			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=121 /-] [Invalid=1 /-]	
Value	Label	Cases	Percentage
0	沒有	37	30.6%
1	有	84	69.4%
Sysmiss		1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			



**# B14a: 戴眼鏡看得清楚嗎**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0	不清楚	14	11.9%
1	清楚	104	88.1%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# B15: 有帶助聽器嗎**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0	沒有	106	89.8%
1	有	12	10.2%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# B15a: 帶助聽器後聽得清楚嗎**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=104 /-] [Invalid=18 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0	不清楚	11	10.6%
1	清楚	93	89.4%
Sysmiss		18	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# B16: 有裝假牙嗎**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0	沒有	27	22.3%
1	有	94	77.7%
Sysmiss		1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# B16a: 吃東西的能力好不好**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	非常好	24	20.0%
2	還算好	46	38.3%
3	普通	28	23.3%
4	不太好	21	17.5%
5	很不好	1	0.8%
Sysmiss		2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# B17: 是否用行動輔具****Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]**Statistics [NW/ W]** [Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	沒有	95	79.2%
1	有	25	20.8%
Systemmiss		2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# B17a: 走路起來是否方便****Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*]**Statistics [NW/ W]** [Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	非常不方便	1	0.8%
2	不太方便	10	8.3%
3	還算方便	105	87.5%
4	非常方便	4	3.3%
Systemmiss		2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# C1: 吸菸****Information** [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=\*]**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	從未吸菸	104	88.1%
1	曾經吸菸但以戒了	10	8.5%
2	目前仍有吸菸	4	3.4%
Systemmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# C1a: 以前一天吸多少支****Information** [Type= discrete] [Format=numeric] [Range= 3-888] [Missing=\*]**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
3		1	0.8%
4		1	0.8%
8		1	0.8%
10		1	0.8%
15		2	1.7%
20		3	2.5%
40		1	0.8%
888	跳答	108	91.5%
Systemmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# C1b: 一天吸多少支****Information** [Type= discrete] [Format=numeric] [Range= 20-888] [Missing=\*]**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

# C1b: 一天吸多少支

Value	Label	Cases	Percentage
20		2	1.7%
30		1	0.8%
777		1	0.8%
888	跳答	114	96.6%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# C2: 喝酒

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	完全沒有	97	82.2%
1	有	21	17.8%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# C2a: 喝酒頻率

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-888] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	幾乎每天	3	2.5%
2	2~3天1次	1	0.8%
3	每週一次	0	
4	每月1~2次	6	5.1%
5	每月不到1次	11	9.3%
88	跳答	64	54.2%
888		33	28.0%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# C2b: 平常都喝甚麼酒

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-888] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	啤酒	3	2.5%
2	紅酒或白酒	8	6.8%
3	烈酒	7	5.9%
4	甚麼酒都喝	3	2.5%
88	跳答	64	54.2%
888		33	28.0%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# C2c: 平常都喝多少

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-888] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

**# C2c: 平常都喝多少**

Value	Label	Cases	Percentage
1	淺酌	19	16.1%
2	微醺	2	1.7%
3	爛醉	0	
88	跳答	64	54.2%
888		33	28.0%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C3: 吃檳榔**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	從來沒有	118	99.2%
1	有, 但已經戒了	1	0.8%
2	目前仍有再吃	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C4: 一天平均幾小時是坐著**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.5-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-] [Mean=5.077 /-] [StdDev=3.786 /-]

**# C5: 過去一年全身健康檢查**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	沒有	52	43.0%
1	有	69	57.0%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C5a: 過去三年全身健康檢查**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	沒有	42	35.3%
1	有	77	64.7%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C6: 過去一年老人流感疫苗**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	沒有	46	38.0%
1	有	75	62.0%

# C6: 過去一年老人流感疫苗

Value	Label	Cases	Percentage
Sysmiss		1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# C7: 有無運動的習慣

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	沒有	17	14.0%
1	有	104	86.0%
Sysmiss		1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# C7a: 每週運動次數			
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=118 /-] [Invalid=4 /-] [Mean=4.72 /-] [StdDev=3.208 /-]	
# C7b: 每次大約運動幾分鐘			
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 0-180] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=120 /-] [Invalid=2 /-] [Mean=44.375 /-] [StdDev=33.859 /-]	
# C7c: 有沒有流汗或心跳變快			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=119 /-] [Invalid=3 /-]	
Value	Label	Cases	Percentage
0	沒有	57	47.9%
1	有	62	52.1%
Sysmiss		3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C7d: 運動習慣維持多久了			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
0	沒有固定運動習慣	25	21.6%
1	6個月以上	81	69.8%
2	3~6個月	4	3.4%
3	0~3個月	6	5.2%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C7e: 家人朋友有無一起運動			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=121 /-] [Invalid=1 /-]	
Value	Label	Cases	Percentage
0	沒有	60	49.6%
1	偶爾才有	14	11.6%
2	有時候有	17	14.0%
3	一直都有	30	24.8%
Sysmiss		1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C8: 誰為您煮三餐			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=119 /-] [Invalid=3 /-]	
Value	Label	Cases	Percentage
1	自己	70	58.8%
2	配偶	11	9.2%
3	子女	13	10.9%
4	親人	9	7.6%
5	朋友	1	0.8%

**# C8: 誰為您煮三餐**

Value	Label	Cases	Percentage
6	幫傭	7	5.9%
7	外食居多	4	3.4%
8	其他	4	3.4%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C8a: 誰負責買菜**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	不開伙	4	3.3%
1	自己	72	60.0%
2	配偶	7	5.8%
3	子女親人	27	22.5%
4	朋友鄰居	0	
5	幫傭	5	4.2%
6	其他	5	4.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C8b: 要求買食物**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	是自己買或可以要求	77	64.7%
2	通常由買菜的人決定	42	35.3%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C8c: 每週早餐外食日數**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0		89	74.8%
1		5	4.2%
2		2	1.7%
3		5	4.2%
4		4	3.4%
5		1	0.8%
7		13	10.9%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C8d: 每週午餐外食日數**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]
---------------------------	-------------------------------

# C8d: 每週午餐外食日數

Value	Label	Cases	Percentage
0		68	57.1%
1		3	2.5%
2		10	8.4%
3		13	10.9%
4		5	4.2%
5		5	4.2%
6		2	1.7%
7		13	10.9%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# C8e: 每週晚餐外食日數

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0		89	74.8%
1		3	2.5%
2		6	5.0%
3		5	4.2%
4		1	0.8%
5		4	3.4%
7		11	9.2%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# C9: 與您同住的家人一起吃晚餐

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-88] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	幾乎每一天	66	54.5%
2	一週數次	12	9.9%
3	約一週一次	10	8.3%
4	約一月一次	3	2.5%
5	一年數次	7	5.8%
6	約一年一次	9	7.4%
7	從未	9	7.4%
88	不適用	5	4.1%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# C10: 平常會注意有關食品營養的訊息或閱讀有關健康的書報雜誌、電視或廣播節目嗎

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	否	39	32.5%
1	是	81	67.5%



# C10: 平常會注意有關食品營養的訊息或閱讀有關健康的書報雜誌、電視或廣播節目嗎			
Value	Label	Cases	Percentage
Sysmiss		2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C11a: 平常吃東西會注重營養均衡嗎			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=119 /-] [Invalid=3 /-]	
Value	Label	Cases	Percentage
1	從不或很少	30	25.2%
2	有時	34	28.6%
3	常常或總是	55	46.2%
Sysmiss		3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C11b: 平常會吃重口味的飲食嗎			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=119 /-] [Invalid=3 /-]	
Value	Label	Cases	Percentage
1	從不或很少	88	73.9%
2	有時	21	17.6%
3	常常或總是	10	8.4%
Sysmiss		3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C11c: 平常有沒有吃蔬菜			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=119 /-] [Invalid=3 /-]	
Value	Label	Cases	Percentage
1	從不或很少	3	2.5%
2	有時	18	15.1%
3	常常或總是	98	82.4%
Sysmiss		3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C11d: 平常會喝牛奶、羊奶或吃乳酪			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=119 /-] [Invalid=3 /-]	
Value	Label	Cases	Percentage
1	從不或很少	49	41.2%
2	有時	27	22.7%
3	常常或總是	43	36.1%
Sysmiss		3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C11e: 平常家裡會用植物油炒菜嗎			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=118 /-] [Invalid=4 /-]	

**# C11e: 平常家裡會用植物油炒菜嗎**

Value	Label	Cases	Percentage
1	從不或很少	19	16.1%
2	有時	16	13.6%
3	常常或總是	83	70.3%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C11f: 平常會少吃高膽固醇的食物**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	從不或很少	58	48.7%
2	有時	33	27.7%
3	常常或總是	28	23.5%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C11g: 平常會少吃高脂肪的食物**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	從不或很少	62	52.1%
2	有時	32	26.9%
3	常常或總是	25	21.0%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C11h: 平常會少吃動物內臟**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	從不或很少	79	66.4%
2	有時	19	16.0%
3	常常或總是	21	17.6%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C11i: 平常會吃水果**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	從不或很少	16	13.4%
2	有時	26	21.8%
3	常常或總是	77	64.7%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C11j: 平時會喝含糖飲料****Information** [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]**Statistics [NW/ W]** [Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	從不或很少	104	87.4%
2	有時	11	9.2%
3	常常或總是	4	3.4%
Sysmiss		3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# C11k: 平常買食物時會注意製造日期****Information** [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]**Statistics [NW/ W]** [Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	從不或很少	36	30.3%
2	有時	13	10.9%
3	常常或總是	70	58.8%
Sysmiss		3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# C11l: 家人朋友會幫忙注意您吃東西的營養均衡嗎****Information** [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]**Statistics [NW/ W]** [Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	從不或很少	38	31.9%
2	有時	24	20.2%
3	常常或總是	57	47.9%
Sysmiss		3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# C11m: 吃東西有特別注意控制體重****Information** [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]**Statistics [NW/ W]** [Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	從不或很少	45	37.8%
2	有時	28	23.5%
3	常常或總是	46	38.7%
Sysmiss		3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# C11n: 吃東西有特別注意控制血糖****Information** [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]**Statistics [NW/ W]** [Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	從不或很少	44	37.0%
2	有時	23	19.3%
3	常常或總是	52	43.7%
Sysmiss		3	

**# C11n: 吃東西有特別注意控制血糖**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D2a: 不想吃東西胃口很差**

**Information** [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	86	72.9%
1	偶爾	17	14.4%
2	有時	14	11.9%
3	常常	1	0.8%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D2b: 做每件事都很吃力**

**Information** [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	73	61.9%
1	偶爾	28	23.7%
2	有時	12	10.2%
3	常常	5	4.2%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D2c: 睡不好覺或失眠**

**Information** [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	沒有	51	43.6%
1	偶爾	21	17.9%
2	有時	24	20.5%
3	常常	21	17.9%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D2d: 覺得心情很不好**

**Information** [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	65	55.1%
1	偶爾	30	25.4%
2	有時	20	16.9%
3	常常	3	2.5%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D2e: 覺得寂寞**

**Information** [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=\*]

**# D2e: 覺得寂寞**

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	沒有	80	67.8%
1	偶爾	16	13.6%
2	有時	15	12.7%
3	常常	7	5.9%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# D2f: 覺得身邊的人對你不好**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	沒有	104	88.1%
1	偶爾	5	4.2%
2	有時	6	5.1%
3	常常	3	2.5%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# D2g: 覺得傷心**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	沒有	92	78.0%
1	偶爾	13	11.0%
2	有時	9	7.6%
3	常常	4	3.4%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# D2h: 提不起勁來做事**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	沒有	81	68.6%
1	偶爾	19	16.1%
2	有時	15	12.7%
3	常常	3	2.5%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# D2i: 覺得很快樂**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	沒有	23	19.5%

**# D2i: 覺得很快樂**

Value	Label	Cases	Percentage
1	偶爾	13	11.0%
2	有時	18	15.3%
3	常常	64	54.2%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D2j: 覺得日子過得很不錯**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	17	14.4%
1	偶爾	12	10.2%
2	有時	24	20.3%
3	常常	65	55.1%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D3a: 自己的健康壓力**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	49	41.5%
1	有一點	49	41.5%
2	中等程度	12	10.2%
3	很嚴重	8	6.8%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D3b: 自己的財務經濟壓力**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	沒有	76	65.0%
1	有一點	23	19.7%
2	中等程度	12	10.3%
3	很嚴重	6	5.1%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D3c: 自己的工作壓力**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	沒有	102	87.2%
1	有一點	11	9.4%
2	中等程度	3	2.6%

**# D3c: 自己的工作壓力**

Value	Label	Cases	Percentage
3	很嚴重	1	0.9%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D3d: 自己跟家人的相處關係壓力**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	沒有	92	78.6%
1	有一點	10	8.5%
2	中等程度	8	6.8%
3	很嚴重	7	6.0%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D3e: 家人/子女的健康壓力**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=116 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	沒有	63	54.3%
1	有一點	37	31.9%
2	中等程度	9	7.8%
3	很嚴重	7	6.0%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D3f: 家人/子女的經濟財務問題壓力**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	沒有	82	70.1%
1	有一點	23	19.7%
2	中等程度	8	6.8%
3	很嚴重	4	3.4%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D3g: 家人/子女的工作壓力**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	沒有	83	70.9%
1	有一點	24	20.5%
2	中等程度	7	6.0%
3	很嚴重	3	2.6%
Sysmiss		5	

**# D3g: 家人/子女的工作壓力***Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# D3h: 家人的婚姻關係壓力****Information** [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=\*]**Statistics [NW/ W]** [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	沒有	85	72.6%
1	有一點	20	17.1%
2	中等程度	7	6.0%
3	很嚴重	5	4.3%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# D3i: 其他壓力****Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]**Statistics [NW/ W]** [Valid=116 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0		115	99.1%
1		1	0.9%
Sysmiss		6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# D4: 減輕壓力方法****Information** [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=\*]**Statistics [NW/ W]** [Valid=106 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
0	沒有壓力	28	26.4%
1	聊天	8	7.5%
2	散步	14	13.2%
3	不去想	10	9.4%
4	運動	13	12.3%
5	看電視	12	11.3%
6	唱歌	7	6.6%
7	睡覺	0	
8	檢討自己	1	0.9%
9	喝酒	1	0.9%
10	音樂、彈琴	4	3.8%
11	看報紙	1	0.9%
12	玩手機	1	0.9%
13	哭一哭	1	0.9%
14	禱告、讀聖經	2	1.9%
15	手工、家事	3	2.8%
Sysmiss		16	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# D5a: 接受自己已經變老, 有些事情已經做不到****Information** [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*/999]**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]



# D5a: 接受自己已經變老，有些事情已經做不到

Value	Label	Cases	Percentage
1	同意	95	80.5%
2	沒意見	14	11.9%
3	不同意	9	7.6%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# D5b: 不服老，想辦法用其他方法自己努力做做看

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*/999]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1	同意	64	54.2%
2	沒意見	29	24.6%
3	不同意	25	21.2%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# D5c: 改變原先的目標，只關心自己做得到的事

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*/999]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1	同意	78	66.1%
2	沒意見	32	27.1%
3	不同意	8	6.8%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# D5d: 盡量鍛鍊自己的健康或腦力, 維持現在的狀態

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*/999]		
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	同意	108	91.5%
2	沒意見	9	7.6%
3	不同意	1	0.8%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# D5e: 願意使用工具, 做現在做不到的事

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*/999]		
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	同意	79	66.9%
2	沒意見	18	15.3%
3	不同意	21	17.8%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# D5f: 願意接受家人朋友幫忙, 做現在做不到的事

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*/999]		
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	同意	90	76.3%
2	沒意見	14	11.9%
3	不同意	14	11.9%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# D6a: 你有從別人得到關心和支持

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	不會	21	17.8%
2	很少	13	11.0%
3	有時	38	32.2%
4	大部分/一直	46	39.0%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# D6b: 你會採取行動讓煩惱的事變得比較好

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	不會	25	21.4%
2	很少	11	9.4%
3	有時	41	35.0%

# D6b: 你會採取行動讓煩惱的事變得比較好

Value	Label	Cases	Percentage
4	大部分/一直	40	34.2%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# D6c: 你不相信這個煩惱的事已經發生了

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	不會	53	45.3%
2	很少	30	25.6%
3	有時	25	21.4%
4	大部分/一直	9	7.7%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# D6d: 你會一直說不高興的事發洩情緒

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1	不會	56	47.5%
2	很少	33	28.0%
3	有時	21	17.8%
4	大部分/一直	8	6.8%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# D6e: 你會盡量想出辦法看要怎麼做才好

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1	不會	29	24.6%
2	很少	10	8.5%
3	有時	35	29.7%
4	大部分/一直	44	37.3%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# D6f: 會有人給我安慰並且了解我

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1	不會	31	26.3%
2	很少	14	11.9%
3	有時	38	32.2%
4	大部分/一直	35	29.7%
Sysmiss		4	

**# D6f: 會有人給我安慰並且了解我***Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# D6g: 你不想改變自己去適應煩惱的事****Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*]**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1	不會	55	46.6%
2	很少	23	19.5%
3	有時	28	23.7%
4	大部分/一直	12	10.2%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# D6h: 把煩惱的事情往好處想****Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*]**Statistics [NW/ W]** [Valid=115 /-] [Invalid=7 /-]

Value	Label	Cases	Percentage
1	不會	19	16.5%
2	很少	5	4.3%
3	有時	33	28.7%
4	大部分/一直	58	50.4%
Sysmiss		7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# D6i: 你會拿煩惱的事來開玩笑****Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*]**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1	不會	75	63.6%
2	很少	17	14.4%
3	有時	15	12.7%
4	大部分/一直	11	9.3%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# D6j: 你會做別的事讓你比較不去想煩惱的事****Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*]**Statistics [NW/ W]** [Valid=115 /-] [Invalid=7 /-]

Value	Label	Cases	Percentage
1	不會	23	20.0%
2	很少	12	10.4%
3	有時	36	31.3%
4	大部分/一直	44	38.3%
Sysmiss		7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# D6k: 你可以接受已發生的事實****Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*]

# D6k: 你可以接受已發生的事實			
<b>Statistics [NW/ W]</b>		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
1	不會	18	15.3%
2	很少	8	6.8%
3	有時	25	21.2%
4	大部分/一直	67	56.8%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D6l: 表達不高興的情緒			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
1	不會	45	38.1%
2	很少	17	14.4%
3	有時	35	29.7%
4	大部分/一直	21	17.8%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D6m: 嘗試從別人那邊得到建議或幫助看看要怎麼辦			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
1	不會	34	29.3%
2	很少	16	13.8%
3	有時	37	31.9%
4	大部分/一直	29	25.0%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D6n: 喝酒吸菸或吃藥讓自己覺得好一點			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
1	不會	109	92.4%
2	很少	2	1.7%
3	有時	3	2.5%
4	大部分/一直	4	3.4%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D6o: 會學習在煩惱存在的情況下過日子			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
1	不會	41	35.3%

# D6o: 會學習在煩惱存在的情況下過日子

Value	Label	Cases	Percentage
2	很少	13	11.2%
3	有時	22	19.0%
4	大部分/一直	40	34.5%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# D6p: 壓力煩惱發生時想不到要怎麼做才好

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	不會	57	48.7%
2	很少	33	28.2%
3	有時	21	17.9%
4	大部分/一直	6	5.1%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# D6q: 怪自己讓煩惱的事發生

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	不會	66	56.4%
2	很少	18	15.4%
3	有時	28	23.9%
4	大部分/一直	5	4.3%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# D6r: 禱告或冥想

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1	不會	39	33.1%
2	很少	14	11.9%
3	有時	20	16.9%
4	大部分/一直	45	38.1%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# E1: 工作

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	一直沒有工作	33	27.5%
1	曾經有工作但退休了	76	63.3%
2	現在還有工作	11	9.2%

<b># E1: 工作</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Systemmiss		2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># E2a: 滿意家人對您的關心</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0	沒有家人	1	0.8%
1	非常不滿意	3	2.5%
2	不太滿意	6	5.0%
3	普通	22	18.3%
4	滿意	43	35.8%
5	非常滿意	45	37.5%
Systemmiss		2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># E2b: 生病時家人照顧可以依靠</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-88] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	完全不能依靠	4	3.3%
2	不太可依靠	9	7.5%
3	普通	15	12.5%
4	可依靠	37	30.8%
5	完全可依靠	54	45.0%
88	跳答	1	0.8%
Systemmiss		2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># E2c: 家人經濟支援滿意</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0	不需要	26	21.7%
1	非常不滿意	3	2.5%
2	不太滿意	4	3.3%
3	普通	25	20.8%
4	滿意	34	28.3%
5	非常滿意	27	22.5%
88	跳答	1	0.8%
Systemmiss		2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># E2d: 家人找你商量煩惱</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-88] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]		

**# E2d: 家人找你商量煩惱**

Value	Label	Cases	Percentage
1	完全不來告訴您	36	30.0%
2	偶爾才有來	21	17.5%
3	有時候問	32	26.7%
4	大部份時候都有問	30	25.0%
88	跳答	1	0.8%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# E2e: 每週家人來往天數**

Value	Label	Cases	Percentage
1	每天	71	59.7%
2	一週4-6天	7	5.9%
3	一週2-3天	9	7.6%
4	一週1天或超過一週一次	31	26.1%
88	跳答	1	0.8%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# E2f: 家庭生活滿意**

Value	Label	Cases	Percentage
1	非常不滿意	3	2.5%
2	不滿意	4	3.4%
3	無所謂滿不滿意	19	16.1%
4	滿意	55	46.6%
5	非常滿意	37	31.4%
88	跳答	2	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# E2g: 婚姻生活滿意**

Value	Label	Cases	Percentage
1	非常不滿意	1	1.2%
2	不滿意	11	13.3%
3	無所謂滿不滿意	12	14.5%
4	滿意	41	49.4%
5	非常滿意	18	21.7%
88	不適用(無偶)	36	
98	跳答	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.



**# E2h: 與配偶有衝突****Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*/88/98]**Statistics [NW/ W]** [Valid=66 /-] [Invalid=56 /-]

Value	Label	Cases	Percentage
1	完全沒有	25	37.9%
2	很少	15	22.7%
3	有時	19	28.8%
4	經常	6	9.1%
5	一直都有	1	1.5%
88	不適用	54	
98	跳答	0	
Sysmiss		2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# E2i: 與子女有衝突****Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*/88/98]**Statistics [NW/ W]** [Valid=116 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
1	完全沒有	61	52.6%
2	很少	34	29.3%
3	有時	13	11.2%
4	經常	6	5.2%
5	一直都有	2	1.7%
88	不適用	4	
98	跳答	0	
Sysmiss		2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# E2j: 與其他家人有衝突****Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*/88/98]**Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1	完全沒有	69	58.5%
2	很少	34	28.8%
3	有時	8	6.8%
4	經常	2	1.7%
5	一直都有	5	4.2%
88	跳答	2	
Sysmiss		2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# E3: 誰最應該負起照顧年老父母的責任****Information** [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=\***Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1	長子	6	5.1%
2	兒子	12	10.2%

### # E3: 誰最應該負起照顧年老父母的責任

Value	Label	Cases	Percentage
3	女兒	9	7.6%
4	兒子或女兒任何一人都可以	32	27.1%
5	所有兒女都應該	40	33.9%
6	兒女沒有責任	11	9.3%
7	其他	8	6.8%
System		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # E4a: 滿意朋友關心

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=\* /88]

Statistics [NW/ W] [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有朋友	10	8.5%
1	非常不滿意	1	0.8%
2	不太滿意	1	0.8%
3	普通	22	18.6%
4	滿意	57	48.3%
5	非常滿意	27	22.9%
System		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # E4b: 生病時朋友照顧可以依靠

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\* /88]

Statistics [NW/ W] [Valid=109 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
1	完全不能依靠	18	16.5%
2	不太可靠	33	30.3%
3	普通	31	28.4%
4	可依靠	17	15.6%
5	完全可依靠	10	9.2%
88	跳答	10	
System		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # E4c: 朋友經濟支援滿意嗎

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=\* /88]

Statistics [NW/ W] [Valid=108 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	不需要	85	78.7%
1	非常不滿意	0	
2	不太滿意	0	
3	普通	16	14.8%
4	滿意	5	4.6%
5	非常滿意	2	1.9%
88	跳答	10	
System		4	

**# E4c: 朋友經濟支援滿意嗎***Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# E4d: 朋友找您商量煩惱****Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*/88]**Statistics [NW/ W]** [Valid=109 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
1	完全不來告訴您	31	28.4%
2	偶爾才有來	25	22.9%
3	有時候問	43	39.4%
4	不部份時候都有問	10	9.2%
88	跳答	10	
Sysmiss		3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# E4e: 每週朋友來往天數****Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*/88]**Statistics [NW/ W]** [Valid=108 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
1	每天	22	20.4%
2	一週4~6天	6	5.6%
3	一週2~3天	34	31.5%
4	一週1天或超過一週1次	46	42.6%
88	跳答	10	
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# E5a: 幫忙家人朋友照顧孫子或小孩****Information** [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=\***Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	78	66.1%
1	每月不到一次	7	5.9%
2	每月1~2次	6	5.1%
3	每月3~4次	7	5.9%
4	每月5次以上	20	16.9%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# E5b: 做家事或生活照顧或外出辦事****Information** [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=\***Statistics [NW/ W]** [Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	32	27.1%
1	每月不到一次	5	4.2%
2	每月1~2次	11	9.3%
3	每月3~4次	11	9.3%
4	每月5次以上	59	50.0%

**# E5b: 做家事或生活照顧或外出辦事**

Value	Label	Cases	Percentage
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# E5c: 幫忙家人朋友慢性疾病照顧**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	97	82.2%
1	每月不到一次	7	5.9%
2	每月1~2次	4	3.4%
3	每月3~4次	1	0.8%
4	每月5次以上	9	7.6%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# E5d: 園藝或庭院工作**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	70	59.3%
1	每月不到一次	3	2.5%
2	每月1~2次	6	5.1%
3	每月3~4次	5	4.2%
4	每月5次以上	34	28.8%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# E5e: 拿錢或日常用品給家人或朋友**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	83	70.3%
1	每月不到一次	13	11.0%
2	每月1~2次	10	8.5%
3	每月3~4次	2	1.7%
4	每月5次以上	10	8.5%
Sysmiss		4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# E5f: 參加社區交誼團**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	沒有	45	38.5%
1	每月不到一次	1	0.9%
2	每月1~2次	5	4.3%

# E5f: 參加社區交誼團			
Value	Label	Cases	Percentage
3	每月3~4次	14	12.0%
4	每月5次以上	52	44.4%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# E5g: 參加宗教團體活動			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
0	沒有	69	58.5%
1	每月不到一次	18	15.3%
2	每月1~2次	4	3.4%
3	每月3~4次	8	6.8%
4	每月5次以上	19	16.1%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# E5h: 參加農漁會或其他行業工會協會			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
0	沒有	109	92.4%
1	每月不到一次	3	2.5%
2	每月1~2次	0	
3	每月3~4次	1	0.8%
4	每月5次以上	5	4.2%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# E5i: 參加政黨或政治性活動			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
0	沒有	109	92.4%
1	每月不到一次	5	4.2%
2	每月1~2次	2	1.7%
3	每月3~4次	1	0.8%
4	每月5次以上	1	0.8%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# E5j: 參加同鄉會宗親會			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
0	沒有	111	94.1%

# E5j: 參加同鄉會宗親會

Value	Label	Cases	Percentage
1	每月不到一次	6	5.1%
2	每月1~2次	0	
3	每月3~4次	1	0.8%
4	每月5次以上	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# E5k: 參加老人團體

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	沒有	17	14.4%
1	每月不到一次	6	5.1%
2	每月1~2次	8	6.8%
3	每月3~4次	15	12.7%
4	每月5次以上	72	61.0%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# E5l: 參加老人學習活動

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
0	沒有	56	47.5%
1	每月不到一次	0	
2	每月1~2次	4	3.4%
3	每月3~4次	10	8.5%
4	每月5次以上	48	40.7%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# E5m: 參加志工團體			
Information		[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
Statistics [NW/ W]		[Valid=118 /-] [Invalid=4 /-]	
Value	Label	Cases	Percentage
0	沒有	92	78.0%
1	每月不到一次	2	1.7%
2	每月1~2次	6	5.1%
3	每月3~4次	8	6.8%
4	每月5次以上	10	8.5%
Sysmiss		4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# E6: 有無上網			
Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=119 /-] [Invalid=3 /-]	
Value	Label	Cases	Percentage
0	沒有	83	69.7%
1	有	36	30.3%
Sysmiss		3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# E6a: 想學上網			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*/88/8]	
Statistics [NW/ W]		[Valid=82 /-] [Invalid=40 /-]	
Value	Label	Cases	Percentage
1	想	22	26.8%
2	沒意見	10	12.2%
3	不想	50	61.0%
88	跳答不適用	35	
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# E6b: 多久一次			
Information		[Type= discrete] [Format=numeric] [Range= 1-88] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
1	每月1-2次或更少	7	6.0%
2	每週1~5天	3	2.6%
3	幾乎每天	27	23.1%
88	跳答	80	68.4%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# E6c: 上網找健康資訊			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*/88]	
Statistics [NW/ W]		[Valid=37 /-] [Invalid=85 /-]	
Value	Label	Cases	Percentage
1	完全沒辦法	19	51.4%

**# E6c: 上網找健康資訊**

Value	Label	Cases	Percentage
2	會一點	9	24.3%
3	大部份或都找得到	9	24.3%
88	跳答	80	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# E6d: 使用的通訊軟體**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*/88]
<b>Statistics [NW/ W]</b>	[Valid=37 /-] [Invalid=85 /-]

Value	Label	Cases	Percentage
1	不會用	15	40.5%
2	會，但很少用	7	18.9%
3	會，而且很常用(一週一次以上)	15	40.5%
88	跳答	80	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# E6e: 使用社交軟體**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*/88]
<b>Statistics [NW/ W]</b>	[Valid=37 /-] [Invalid=85 /-]

Value	Label	Cases	Percentage
1	不會用	22	59.5%
2	會，但很少用	5	13.5%
3	會，而且很常用(一週一次以上)	10	27.0%
88	跳答	80	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# E6f: 用電子郵件**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-22] [Missing=*/88]
<b>Statistics [NW/ W]</b>	[Valid=37 /-] [Invalid=85 /-]

Value	Label	Cases	Percentage
1	不會用	24	64.9%
2	會，但不用或很少用	9	24.3%
3	會，而且很常用(一週一次以上)	3	8.1%
22		1	2.7%
88	跳答	80	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F1: 經濟狀況滿意**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	非常滿意	20	16.8%
2	還算滿意	43	36.1%



**# F1: 經濟狀況滿意**

Value	Label	Cases	Percentage
3	普通	39	32.8%
4	不太滿意	11	9.2%
5	很不滿意	6	5.0%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F1a: 家人子女給金錢花用**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	完全沒有	20	16.9%
1	偶爾(過年過節)	42	35.6%
2	固定有但不夠	6	5.1%
3	固定有且夠用	35	29.7%
4	不需要	15	12.7%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F2: 有無財產**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	沒有	43	36.1%
1	有	76	63.9%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F2a: 經濟準備**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	沒有	56	47.5%
1	有	56	47.5%
2	不確定	6	5.1%
88	跳答	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F2b1: 房子土地不動產**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=116 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	沒有	23	19.8%
1	有	36	31.0%
2	不確定	1	0.9%
8		1	0.9%

**# F2b1: 房子土地不動產**

Value	Label	Cases	Percentage
88	跳答	55	47.4%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F2b2: 存款**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=116 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	沒有	19	16.4%
1	有	40	34.5%
2	不確定	1	0.9%
8		1	0.9%
88	跳答	55	47.4%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F2b3: 股票債券基金**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=116 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	沒有	52	44.8%
1	有	7	6.0%
2	不確定	1	0.9%
8		1	0.9%
88	跳答	55	47.4%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F2b4: 儲蓄型保險**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=116 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	沒有	43	37.1%
1	有	16	13.8%
2	不確定	1	0.9%
8		1	0.9%
88	跳答	55	47.4%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F2b5: 其他經濟準備**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=116 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	沒有	58	50.0%
1	有	1	0.9%

**# F2b5: 其他經濟準備**

Value	Label	Cases	Percentage
2	不確定	1	0.9%
88	跳答	56	48.3%
Systemss		6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# F2c: 準備夠不夠**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=* /8/88]
<b>Statistics [NW/ W]</b>	[Valid=66 /-] [Invalid=56 /-]

Value	Label	Cases	Percentage
0	非常不夠或沒有	3	4.5%
1	不太夠	12	18.2%
2	差不多夠用	40	60.6%
3	非常足夠	11	16.7%
8		2	
88	跳答	52	
Systemss		2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# F3: 擔心詐騙**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	完全不會	77	64.7%
1	很少會	14	11.8%
2	有時會	21	17.6%
3	常常會	7	5.9%
Systemss		3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# F4: 領退休金**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=* /88]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	沒有工作，無退休金可領	72	60.5%
1	有領	43	36.1%
2	還在工作但以後沒有退休金	3	2.5%
3	還在工作且以後有退休金可領	1	0.8%
Systemss		3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# F4a: 知道退休金保障**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=* /88/99]
<b>Statistics [NW/ W]</b>	[Valid=53 /-] [Invalid=69 /-]

Value	Label	Cases	Percentage
1	完全不知道	11	20.8%
2	不太清楚	10	18.9%

**# F4a: 知道退休金保障**

Value	Label	Cases	Percentage
3	知道一些	16	30.2%
4	知道很清楚	16	30.2%
88	跳答	63	
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F5: 領國民年金或老人年金**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	沒有	44	36.7%
1	有	76	63.3%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F5a: 知道國民老人年金保障**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	完全不知道	32	26.9%
2	不太清楚	42	35.3%
3	知道一些	29	24.4%
4	知道很清楚	16	13.4%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F6: 領社會福利補助**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	沒有	105	87.5%
1	有	15	12.5%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F6a: 知道老年社會福利保障**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	完全不知道	36	30.3%
2	不太清楚	44	37.0%
3	知道一些	32	26.9%
4	知道很清楚	7	5.9%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# F7: 知道贈與稅遺產稅規定****Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*]**Statistics [NW/ W]** [Valid=119 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	完全不知道	51	42.9%
2	不太清楚	36	30.3%
3	知道一些	25	21.0%
4	知道很清楚	7	5.9%
Sysmiss		3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# G1: 您覺得自己目前的生活符合你的理想嗎?****Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]**Statistics [NW/ W]** [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	非常不理想	5	4.3%
2	不太理想	9	7.7%
3	一半理想, 一半不理想	35	29.9%
4	大部份理想	50	42.7%
5	非常理想	18	15.4%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# G2: 現在生活滿意度****Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]**Statistics [NW/ W]** [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	非常不滿意	6	5.1%
2	不太滿意	6	5.1%
3	普通	30	25.6%
4	滿意	57	48.7%
5	非常滿意	18	15.4%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# G3\_1: 身體健康****Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]**Statistics [NW/ W]** [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	很不重要	2	1.7%
2	不太重要	2	1.7%
3	沒意見	1	0.9%
4	有些重要	6	5.1%
5	非常重要	106	90.6%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# G3_2: 記憶力好			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
1	很不重要	2	1.7%
2	不太重要	4	3.4%
3	沒意見	2	1.7%
4	有些重要	18	15.4%
5	非常重要	91	77.8%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# G3_3: 不需要別人照顧			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
1	很不重要	6	5.2%
2	不太重要	7	6.0%
3	沒意見	14	12.1%
4	有些重要	13	11.2%
5	非常重要	76	65.5%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# G3_4: 如果有需要的時候, 自己(或與老伴)住到理想的安養院			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
1	很不重要	33	28.4%
2	不太重要	12	10.3%
3	沒意見	31	26.7%
4	有些重要	7	6.0%
5	非常重要	33	28.4%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# G3_5: 能有人細心照顧起居活動			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
1	很不重要	6	5.1%
2	不太重要	3	2.6%
3	沒意見	12	10.3%
4	有些重要	25	21.4%
5	非常重要	71	60.7%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# G3_6: 經常外出旅遊			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
1	很不重要	10	8.5%
2	不太重要	16	13.7%
3	沒意見	14	12.0%
4	有些重要	30	25.6%
5	非常重要	47	40.2%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# G3_7: 能與家人團圓和樂			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
1	很不重要	1	0.9%
2	不太重要	2	1.7%
3	沒意見	6	5.1%
4	有些重要	21	17.9%
5	非常重要	87	74.4%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# G3_8: 子女晚輩生活穩定不用擔心			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=116 /-] [Invalid=6 /-]	
Value	Label	Cases	Percentage
1	很不重要	2	1.7%
2	不太重要	2	1.7%
3	沒意見	10	8.6%
4	有些重要	18	15.5%
5	非常重要	84	72.4%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# G3_9: 經常有朋友來往			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=5 /-]	
Value	Label	Cases	Percentage
1	很不重要	9	7.7%
2	不太重要	7	6.0%
3	沒意見	15	12.8%
4	有些重要	23	19.7%
5	非常重要	63	53.8%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

### # G3\_10: 不用煩惱經濟來源

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=116 /-] [Invalid=6 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	很不重要	1	0.9%
2	不太重要	5	4.3%
3	沒意見	5	4.3%
4	有些重要	21	18.1%
5	非常重要	84	72.4%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # G3\_11: 能過著與自己興趣相符的生活

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=115 /-] [Invalid=7 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	很不重要	3	2.6%
2	不太重要	3	2.6%
3	沒意見	10	8.7%
4	有些重要	21	18.3%
5	非常重要	78	67.8%
Sysmiss		7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # G3\_12: 繼續研究進修或學習

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=116 /-] [Invalid=6 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	很不重要	10	8.6%
2	不太重要	19	16.4%
3	沒意見	22	19.0%
4	有些重要	23	19.8%
5	非常重要	42	36.2%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # G3\_13: 經常從事志願服務

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=115 /-] [Invalid=7 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	很不重要	17	14.8%
2	不太重要	12	10.4%
3	沒意見	34	29.6%
4	有些重要	17	14.8%
5	非常重要	35	30.4%
Sysmiss		7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.



# G3_14: 有能力幫助別人			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=116 /-] [Invalid=6 /-]		
Value	Label	Cases	Percentage
1	很不重要	7	6.0%
2	不太重要	6	5.2%
3	沒意見	22	19.0%
4	有些重要	31	26.7%
5	非常重要	50	43.1%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# G3_15: 有良好居住環境			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=117 /-] [Invalid=5 /-]		
Value	Label	Cases	Percentage
1	很不重要	2	1.7%
2	不太重要	1	0.9%
3	沒意見	10	8.5%
4	有些重要	17	14.5%
5	非常重要	87	74.4%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# G3_16: 治安良好安全			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=116 /-] [Invalid=6 /-]		
Value	Label	Cases	Percentage
1	很不重要	1	0.9%
2	不太重要	0	
3	沒意見	6	5.2%
4	有些重要	18	15.5%
5	非常重要	91	78.4%
Sysmiss		6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# G3_17: 老人福利政策良好			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=117 /-] [Invalid=5 /-]		
Value	Label	Cases	Percentage
1	很不重要	2	1.7%
2	不太重要	2	1.7%
3	沒意見	9	7.7%
4	有些重要	17	14.5%
5	非常重要	87	74.4%
Sysmiss		5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

**# G3\_18: 社會政治安定****Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]**Statistics [NW/ W]** [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	很不重要	1	0.9%
2	不太重要	2	1.7%
3	沒意見	9	7.7%
4	有些重要	13	11.1%
5	非常重要	92	78.6%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# G3\_19: 經常參加宗教修行活動****Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]**Statistics [NW/ W]** [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	很不重要	15	12.8%
2	不太重要	15	12.8%
3	沒意見	33	28.2%
4	有些重要	14	12.0%
5	非常重要	40	34.2%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# G3\_20: 心靈平靜、凡事想得開****Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]**Statistics [NW/ W]** [Valid=117 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	很不重要	0	
2	不太重要	5	4.3%
3	沒意見	8	6.8%
4	有些重要	19	16.2%
5	非常重要	85	72.6%
Sysmiss		5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# G3\_77: 其他成功老化期待****Information** [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=\*]**Statistics [NW/ W]** [Valid=116 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	無	116	100.0%
1	很不重要	0	
2	不太重要	0	
3	沒意見	0	
4	有些重要	0	
5	非常重要	0	
Sysmiss		6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# <b>BodyWeight: 體重(KG)</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 36-158] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=107 /-] [Invalid=15 /-] [Mean=60.591 /-] [StdDev=16.492 /-]

# BodyHeight: 身高(CM)			
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 54-177] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=107 /-] [Invalid=15 /-] [Mean=153.9 /-] [StdDev=15.835 /-]	
# KneeHeight: 膝高度(cm)			
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 35-64] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-] [Mean=46.356 /-] [StdDev=3.898 /-]	
# C12_1: 食慾消化咀嚼吞嚥困難			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=115 /-] [Invalid=7 /-]	
Value	Label	Cases	Percentage
0	嚴重食慾不佳	0	
1	中度食慾不佳	12	10.4%
2	食慾無變化	103	89.6%
System		7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C12_2: 近三個月體重變化			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=114 /-] [Invalid=8 /-]	
Value	Label	Cases	Percentage
0	體重減輕>3公斤	4	3.5%
1	不知道	12	10.5%
2	體重減輕1~3公斤	8	7.0%
3	體重無改變	90	78.9%
System		8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C12_3: 行動力			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=115 /-] [Invalid=7 /-]	
Value	Label	Cases	Percentage
0	臥床或輪椅	1	0.9%
1	可以下床活動或離開輪椅但無法自由走動	4	3.5%
2	可以自由走動	110	95.7%
System		7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C12_4: 過去三個月曾有精神性壓力或急性疾病發作			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=115 /-] [Invalid=7 /-]	
Value	Label	Cases	Percentage
0	是	7	6.1%
1	否	64	55.7%
2		44	38.3%
System		7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# C12_5: 神經精神問題			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=115 /-] [Invalid=7 /-]	
Value	Label	Cases	Percentage
0	嚴重癡呆或抑鬱	0	
1	輕度癡呆	1	0.9%
2	無精神問題	114	99.1%
Systemmiss		7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C12_6: BMI			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	BMI<19	2	1.9%
1	19<=BMI<21	15	13.9%
2	21<=BMI<23	31	28.7%
3	BMI>=23	60	55.6%
Systemmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C12Screen: MMN篩檢			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	大於等於12分正常	96	88.9%
1	小於等於11分不良	12	11.1%
Systemmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C12_7: 可以獨立生活			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=107 /-] [Invalid=15 /-]	
Value	Label	Cases	Percentage
0	否	2	1.9%
1	是	11	10.3%
88	跳答	94	87.9%
Systemmiss		15	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# C12_8: 每天需服用三種以上的處方藥物			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=107 /-] [Invalid=15 /-]	
Value	Label	Cases	Percentage
0	是	8	7.5%
1	否	5	4.7%
88	跳答	94	87.9%
Systemmiss		15	

**# C12\_8: 每天需服用三種以上的處方藥物**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C12\_9: 褥瘡或皮膚潰瘍**

**Information** [Type= discrete] [Format=numeric] [Range= 0-88] [Missing=\*]

**Statistics [NW/ W]** [Valid=107 /-] [Invalid=15 /-]

Value	Label	Cases	Percentage
0	是	1	0.9%
1	否	12	11.2%
88	跳答	94	87.9%
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C12\_10: 一天中完整餐食**

**Information** [Type= discrete] [Format=numeric] [Range= 0-88] [Missing=\*]

**Statistics [NW/ W]** [Valid=107 /-] [Invalid=15 /-]

Value	Label	Cases	Percentage
0	餐1	0	
1	餐2	3	2.8%
2	三餐	10	9.3%
88	跳答	94	87.9%
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C12\_11: 蛋白質攝取量**

**Information** [Type= discrete] [Format=numeric] [Range= 0-88] [Missing=\*]

**Statistics [NW/ W]** [Valid=107 /-] [Invalid=15 /-]

Value	Label	Cases	Percentage
0	0-1項	1	0.9%
0.5		5	4.7%
1	2項	7	6.5%
2	3項	0	
88	跳答	94	87.9%
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C12\_12: 二份或以上蔬果**

**Information** [Type= discrete] [Format=numeric] [Range= 0-88] [Missing=\*]

**Statistics [NW/ W]** [Valid=107 /-] [Invalid=15 /-]

Value	Label	Cases	Percentage
0	否	3	2.8%
1	是	10	9.3%
88	跳答	94	87.9%
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C12\_13: 液體**

**Information** [Type= discrete] [Format=numeric] [Range= 0-88] [Missing=\*]

**Statistics [NW/ W]** [Valid=107 /-] [Invalid=15 /-]

**# C12\_13: 液體**

Value	Label	Cases	Percentage
0	少於3杯	2	1.9%
0.5	3-5杯	6	5.6%
1	大於5杯	5	4.7%
88	跳答	94	87.9%
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C12\_14: 進食的形式**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=107 /-] [Invalid=15 /-]

Value	Label	Cases	Percentage
0	無人協助則無法進食	0	
1	可以自己進食但較吃力	0	
2	可以自己進食	13	12.1%
88	跳答	94	87.9%
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C12\_15: 自覺營養問題**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=107 /-] [Invalid=15 /-]

Value	Label	Cases	Percentage
0	覺得自己營養非常不好	2	1.9%
1	不太清楚或營養不太好	4	3.7%
2	覺得自己沒有營養問題	7	6.5%
88	跳答	94	87.9%
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C12\_16: 與同齡相比健康狀況**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=107 /-] [Invalid=15 /-]

Value	Label	Cases	Percentage
0	不如同齡者	3	2.8%
0.5	不知道	4	3.7%
1	與同齡者差不多	2	1.9%
2	比同齡者好	4	3.7%
88	跳答	94	87.9%
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# C12\_17: 臂中圍**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-888] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=107 /-] [Invalid=15 /-]

Value	Label	Cases	Percentage
0	<21	1	0.9%

# C12\_17: 臂中圍

Value	Label	Cases	Percentage
0.5	21-21.9	2	1.9%
1	22+	10	9.3%
88		94	87.9%
888	跳答	0	
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# C12\_18: 小腿圍

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-888] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=107 /-] [Invalid=15 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
0	<31	3	2.8%
1	>=31	10	9.3%
88		94	87.9%
888	跳答	0	
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# C12MMN: MMN總分

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 9.5-88] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=107 /-] [Invalid=15 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
9.5		1	0.9%
12.5		1	0.9%
14		1	0.9%
15		1	0.9%
17		1	0.9%
18.5		1	0.9%
20		2	1.9%
21.5		1	0.9%
23		1	0.9%
23.5		1	0.9%
24		1	0.9%
24.5		1	0.9%
88	跳答	94	87.9%
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# C12risk: 營養不良指標評估

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-88] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=107 /-] [Invalid=15 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
0	營養不良	2	1.9%
1	具營養不良危險性	11	10.3%
88	跳答	94	87.9%
Sysmiss		15	



**# C12risk: 營養不良指標評估**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D1space\_num: 數字順序**

**Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

**Statistics [NW/ W]** [Valid=109 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	錯	75	68.8%
1	對	34	31.2%
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D1cube: 立方體**

**Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

**Statistics [NW/ W]** [Valid=109 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	錯	64	58.7%
1	對	45	41.3%
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D1clock\_shape: 畫時鐘形狀**

**Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

**Statistics [NW/ W]** [Valid=109 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	錯	17	15.6%
1	對	92	84.4%
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D1clock\_num: 畫時鐘數字**

**Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

**Statistics [NW/ W]** [Valid=109 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	錯	34	31.2%
1	對	75	68.8%
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D1\_point: 畫時鐘指針**

**Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

**Statistics [NW/ W]** [Valid=109 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	錯	41	37.6%
1	對	68	62.4%
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MocaSpace: 視覺空間總分**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=109 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	0	15	13.8%
1		8	7.3%
2	2	13	11.9%
3		31	28.4%
4	4	23	21.1%
5		19	17.4%
Sysmiss		13	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# D1lion: 命名獅子**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=109 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	錯	33	30.3%
1	對	76	69.7%
Sysmiss		13	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# D1rhino: 命名犀牛**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=109 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	錯	47	43.1%
1	對	62	56.9%
Sysmiss		13	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# D1cammel: 命名駱駝**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=109 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	錯	23	21.1%
1	對	86	78.9%
Sysmiss		13	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# MocaName: 命名總分**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=109 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	0	15	13.8%
1		18	16.5%
2	2	22	20.2%
3		54	49.5%

# MocaName: 命名總分			
Value	Label	Cases	Percentage
Sysmiss		13	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D1memo_r1: 記憶複述1			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=109 /-] [Invalid=13 /-]	
Value	Label	Cases	Percentage
0	0	0	
1	1	0	
2	2	0	
3	3	0	
4	4	0	
5	5	109	100.0%
Sysmiss		13	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D1memo_r2: 記憶複述2			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=109 /-] [Invalid=13 /-]	
Value	Label	Cases	Percentage
0	0	0	
1	1	0	
2	2	0	
3	3	0	
4	4	0	
5	5	109	100.0%
Sysmiss		13	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D1Aorder: 順背			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	錯	15	13.9%
1	對	93	86.1%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D1Border: 倒背			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	錯	37	34.3%
1	對	71	65.7%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># MocaFocus: 專注總分</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=14 /-]		
Value	Label	Cases	Percentage
0	0	10	9.3%
1	1	31	28.7%
2	2	67	62.0%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># D1pat_error: 聽1拍桌錯誤數</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=71 /-] [Invalid=51 /-] [Mean=0.423 /-] [StdDev=0.497 /-]		
Value	Label	Cases	Percentage
0		41	57.7%
1		30	42.3%
Sysmiss		51	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MocaPat: 拍1數字</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=14 /-]		
Value	Label	Cases	Percentage
0	錯2個或以上	21	19.4%
1	錯1個或全對	87	80.6%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># D1minus7_1: ans=93</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=14 /-]		
Value	Label	Cases	Percentage
0	錯	21	19.4%
1	對	87	80.6%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># D1minus7_2: ans=86</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=14 /-]		
Value	Label	Cases	Percentage
0	錯	50	46.3%
1	對	58	53.7%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># D1minus7_3: ans=79</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		

**# D1minus7\_3: ans=79**

<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=14 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
0	錯	39	36.1%
1	對	69	63.9%
Systemmiss		14	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# D1minus7\_4: ans=72**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=14 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
0	錯	40	37.0%
1	對	68	63.0%
Systemmiss		14	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# D1minus7\_5: ans=65**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=14 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
0	錯	39	36.1%
1	對	69	63.9%
Systemmiss		14	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# MocaMinus7: 100減7總分**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=14 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
0	0	17	15.7%
1		8	7.4%
2	2	21	19.4%
3		62	57.4%
Systemmiss		14	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# D1Sentence1: 語言\_1**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=14 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
0	錯	18	16.7%
1	對	90	83.3%
Systemmiss		14	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# D1Sentence2: 語言\_2**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=14 /-]
---------------------------	--------------------------------

# D1Sentence2: 語言\_2

Value	Label	Cases	Percentage
0	錯	29	26.9%
1	對	79	73.1%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# MocaLanguage: 語言總分

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	0	15	13.9%
1		15	13.9%
2	2	78	72.2%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# D1fruitno: 1分鐘水果數

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=102 /-] [Invalid=20 /-] [Mean=9.98 /-] [StdDev=3.518 /-]

Value	Label	Cases	Percentage
0		2	2.0%
1		1	1.0%
2		2	2.0%
4		3	2.9%
5		3	2.9%
6		6	5.9%
7		5	4.9%
8		6	5.9%
9		10	9.8%
10		11	10.8%
11		18	17.6%
12		10	9.8%
13		10	9.8%
14		10	9.8%
15		3	2.9%
16		1	1.0%
18		1	1.0%
Sysmiss		20	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# MocaFluency: 流暢度(水果總分)			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	0	50	46.3%
1	1	58	53.7%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D1abstract1: 抽象交通			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	錯	46	42.6%
1	對	62	57.4%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D1abstract2: 抽象測量			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	錯	68	63.0%
1	對	40	37.0%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MocaAbstract: 抽象概念總分			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	0	38	35.2%
1	1	38	35.2%
2	2	32	29.6%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MocaRelayMemo: 延遲記憶總分			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	0	36	33.3%
1	1	14	13.0%
2	2	17	15.7%
3	3	12	11.1%
4	4	10	9.3%
5	5	19	17.6%
Sysmiss		14	

**# MocaRelayMemo: 延遲記憶總分**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D1category: 記憶類別提示回答數**

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=\*]

Statistics [NW/ W] [Valid=105 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	0 (提示後仍無法回憶)	16	15.2%
1	1	17	16.2%
2	2	16	15.2%
3	3	16	15.2%
4	4	11	10.5%
5	5	9	8.6%
8	不需提示	20	19.0%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D1choice: 記憶多選提示回答數**

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=\*]

Statistics [NW/ W] [Valid=105 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	0 (提示後仍無法回憶)	26	24.8%
1	1	18	17.1%
2	2	16	15.2%
3	3	5	4.8%
4	4	2	1.9%
5	5	1	1.0%
8	不需提示	37	35.2%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D1day: 定向日期**

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

Statistics [NW/ W] [Valid=108 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	錯	18	16.7%
1	對	90	83.3%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# D1month: 定向月份**

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

Statistics [NW/ W] [Valid=108 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	錯	11	10.2%
1	對	97	89.8%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.



# D1year: 定向年份			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	錯	20	18.5%
1	對	88	81.5%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D1week: 定向星期			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	錯	7	6.5%
1	對	101	93.5%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D1place: 定向地點			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	錯	4	3.7%
1	對	104	96.3%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# D1city: 定向城市			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	錯	5	4.6%
1	對	103	95.4%
Sysmiss		14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MocaOrientation: 定向總分			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=108 /-] [Invalid=14 /-]	
Value	Label	Cases	Percentage
0	0	0	
1	1	2	1.9%
2	2	7	6.5%
3	3	4	3.7%
4	4	7	6.5%
5	5	12	11.1%
6	6	76	70.4%
Sysmiss		14	

<b># MocaOrientation: 定向總分</b>			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MocaScore: MoCa總分(未調整教育)</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 3-30] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=14 /-] [Mean=20.028 /-] [StdDev=6.846 /-]		
<b># Endhr: 結束時</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 9-12] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=63 /-] [Invalid=59 /-] [Mean=10.381 /-] [StdDev=0.58 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
9		2	3.2%
10		36	57.1%
11		24	38.1%
12		1	1.6%
Sysmiss		59	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># Endmin: 結束分</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-55] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=63 /-] [Invalid=59 /-] [Mean=23.444 /-] [StdDev=15.788 /-]		